#### **REQUEST FOR QUOTATION NO. RFQ22/02557:**

#### ENDOWMENT OF THE POLICE ACADEMY TRAINING SPACES: GYM ACCESSORIES – FLOORING AND OUTFITTING (LOT1) AND TACTICAL TRAINING GEAR (LOT2)

#### **SECTION 1: REQUEST FOR QUOTATION (RFQ)**

UNDP through Strengthening the Police Training Capacities in the Republic of Moldova Project kindly requests your quotation for the provision of RFQ22/002557: PA/Endowment of the Police Academy training spaces: Gym accessories – Flooring and outfitting (LOT1) and Tactical training gear (LOT2) as detailed in line items section of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This RFQ document generated by the online system Section 2: RFQ Instructions and Data Annex 1: Schedule of Requirements Annex 2: Quotation Submission Form Annex 3: Technical and Financial Offer Annex 4: Technical Responsiveness Table

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted directly in the system responding to the questions and uploading required documents. by the date and time indicated in the online portal. It is your responsibility to ensure that your quotation is submitted before the deadline. Quotations received after the submission deadline outside the online portal, for whatever reason, will not be considered for evaluation.

Quotations must be submitted directly in Quantum NextGenERP supplier portal following this link: <u>http://supplier.quantum.partneragencies.org</u> using the profile you may have in the portal (please log in using your username and password).

Follow the instructions in the user guide to search for the tender using search filters, namely **Negotiation ID: UNDP-MDA-00034** and subscribe to the tender in order to get notifications in case of amendments of the tender document and requirements.

In case you have never registered before, follow this link to register a profile:

https://estm.fa.em2.oraclecloud.com/fscmUI/faces/PrcPosRegisterSupplier?prcBuId=300000127715297 & adf.ctrlstate=azywmctp 1& afrLoop=6329722925931702& afrWindowMode=0& afrWindowId=null& afrFS=1 6& afrMT=screen& afrMFW=1042& afrMFH=575& afrMFDW=1280& afrMFDH=720& afrMFC=8& af rMFCI=0& afrMFM=0& afrMFR=144& afrMFG=0& afrMFS=0& afrMFO=0 Do not create a new profile if you already have one. Use the forgotten password feature in case you do not remember the password or the username from previous registration.

Should you require further clarifications on the application through the Quantum online portal, kindly contact the Procurement Unit at <u>sc.md@undp.org</u>. Please pay attention that quotation shall be submitted online through the Quantum system and any quotation sent to the above email shall be disqualified.

Should you require further clarifications on the Request for Quotation, Schedule of Requirements or other requirements, kindly communicate using the messaging functionality in the portal.

Thank you and we look forward to receiving your quotation.

UNDP Moldova

# **SECTION 2: GENERAL INSTRUCTIONS**



Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> <u>and Procedures (POPP) on Contracts and Procurement</u>
	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.
	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or cancellation of the tender in the online portal.
Deadline for the Submission of Quotation	Deadline is indicated in the online portal. If any doubt exists as to the time zone in which the quotation should be submitted, refer to <u>http://www.timeanddate.com/worldclock/.</u>
Method of	Quotations must be submitted as follows:
Submission	NextGenERP supplier portal following this link: <u>http://supplier.nextgenerp.partneragencies.org/</u> using the profile you may have in the portal.
	Follow the instructions in the user guide to search for the tender using Negotiation ID.In case you have never registered before, follow this link to register a profile:
	https://estm.fa.em2.oraclecloud.com/fscmUI/faces/PrcPosRegisterSupplier?prcBuId=30000012771529 7& adf.ctrl-
	state=8godmwdd9 239& afrLoop=7321111756612874& afrWindowMode=0& afrWindowId=null& af rFS=16& afrMT=screen& afrMFW=1920& afrMFH=880& afrMFDW=1920& afrMFDH=1080& afrMFC
	=8& afrMFCI=0& afrMFM=0& afrMFR=96& afrMFG=0& afrMFS=0& afrMFO=0
	Do not create a new profile if you already have one. Use the forgotten password feature in caseyou do not remember the password or the username from previous registration.
	<ul> <li>File Format: All attachments must be in PDF format unless otherwise instructed by UNDP.</li> </ul>
	<ul> <li>File names must be in Latin alphabet/keyboard and clearly indicate the content of the document to facilitated review.</li> </ul>
	All files must be free of viruses and not corrupted.
Cost of preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge
of Conduct,	that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which
Fraud, Corruption,	includes <b>principles on labour, human rights, environment and ethical conduct</b> may be found at: <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u>
	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at <a href="http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_and_investigation.html#anti">http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_and_investigation.html#anti</a>

Gifts and Hospitality Conflict of	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for the contract of the awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Interest	UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
Currency of Quotation	Quotations shall be quoted in the currency indicated in the portal.
Joint Venture,	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium
Consortium or	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to
Association	act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or
	Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
	b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;
	<ul> <li>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</li> <li>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</li> </ul>
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.

Alternative	If alternative quote is permitted, it may be submitted only if a conforming quote to the RFQ
Quotes	requirements is submitted. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and "Alternative Quote" directly in the portal and in any supporting document as relevant.
Contact Person for	Must be submitted directly in the portal using the messaging functionality.
corresponden	Any delay in UNDP's response shall be not used as a reason for extending the deadline for
ce, notifications	submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
and clarifications	
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Publication of Contract Award	UNDP will publish the contract awards on the websites of the COand the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with <u>UNDP Programme and Operations Policies and Procedures</u>
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at <u>www.ungm.org</u> . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.



# **SECTION 2: SPECIAL INSTRUCTIONS**

General	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to one of
Conditions of	the General Conditions of Contract below as applicable in each case specified in the Requirements
Contract	section
	Applicable GTC:
	General Terms and Conditions / Special Conditions for Contract.
	Applicable Terms and Conditions and other provisions are available at <u>UNDP/How-we-buy</u>
Special	Cancellation of PO/Contract if the delivery/completion is delayed by <b>30 calendar days</b>
Conditions of	Liquidates damages shall be imposed as follows:
Contract	Percentage of contract price per day of delay: 0.5% up to a maximum of 30 calendar days, after which
	UNDP may terminate the contract.
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations
	is exempt from all direct taxes, except charges for public utility services, and is exempt from customs
	restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its
	official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties
	unless otherwise specified in the requirements section.
	All prices must:
	☑ be exclusive of VAT and other applicable indirect taxes
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified a
	ineligible by any UN Organization or the World Bank Group or any other international Organization
	Vendors are therefore required to disclose to UNDP whether they are subject to any sanction o
	temporary suspension imposed by these organizations. Failure to do so may result in termination of
	any contract or PO subsequently issued to the vendor by UNDP.
	It is the Bidder's responsibility to ensure that its ultimate beneficial owners, employees, joint ventur
	members, sub-contractors, service providers, suppliers and/or their employees meet the eligibilit
	requirements as established by UNDP.
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the
	country, or through an authorized representative.
Language of	English or Romanian
quotation	Including supporting documentation as applicable.
Quotation	Quotations shall remain valid for <b>90 days</b> from the deadline for the Submission of Quotation.
validity period	
Partial Quotes	⊠ Not permitted
Alternative	⊠ Not permitted
Quotes	
Payment	☑ 100% within 30 days after receipt of goods, works and/or services and submission of payment
Terms	documentation.
Conditions for	☑ Passing Inspection, Complete Installation
Release of	<ul> <li>☑ Written Acceptance of Goods based on full compliance with RFQ requirements</li> </ul>
Release of	
Payment	
-	Bidders must send their inquiries and requests for clarifications using the messaging functionality i
Payment Clarifications	
-	Bidders must send their inquiries and requests for clarifications using the messaging functionality i the portal.
-	the portal.
-	the portal.
-	the portal. <u>PLEASE PAY ATTENTION</u> : QUOTES SHALL NOT BE SUBMITTED TO ANY EMAIL ADDRESS BUT ONL THROUGH THE PORTAL.
-	<u>PLEASE PAY ATTENTION</u> : QUOTES SHALL NOT BE SUBMITTED TO ANY EMAIL ADDRESS BUT ONL THROUGH THE PORTAL. Requests for clarification from bidders will not be accepted any later than <b>5 days</b> before the
-	the portal. <u>PLEASE PAY ATTENTION</u> : QUOTES SHALL NOT BE SUBMITTED TO ANY EMAIL ADDRESS BUT ONLY THROUGH THE PORTAL. Requests for clarification from bidders will not be accepted any later than 5 days before the submission deadline. Responses to request for clarification will be communicated directly in the submission deadline. Responses to request for clarification will be communicated directly in the submission deadline.
-	the portal. <u>PLEASE PAY ATTENTION</u> : QUOTES SHALL NOT BE SUBMITTED TO ANY EMAIL ADDRESS BUT ONL THROUGH THE PORTAL. Requests for clarification from bidders will not be accepted any later than <b>5 days</b> before th

Documents to	Annex 2: Quotation Submission Form duly completed and signed
be submitted	oxtimes Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the
	Schedule of Requirements / Terms of reference in Annex 1, detailing product description / brochures,
	price quotation per item, additional costs and subtotal per LOT.
	Annex 4: Technical Responsiveness Table duly completed and signed
	☑ Company Profile (short info up to 3 pages), including portfolio/previous corporate experience in
	similar fields related to the assignment
	Copy of Company's Registration certificate;
	⊠ List and value of 3 (three) most relevant projects/ contracts completed for the last 5 (five) years
	concluded with International Organizations or National Governments / Law enforcement bodies (3
	(three) copies/samples of the contracts/purchase orders to be provided) including the following
	information:
	Name of previous contracts
	Client & Reference Contact
	Details including active e-mail
	Contract Value
	Period of activity / Delivery period
	Types of goods / equipment delivered
	Copies of provided relevant projects/contract have to be included in the quotation.
	Quality Certificates (ISO, etc., if available); / ISO 9001:2015 or other quality certification related to
	scope of the assignment (if available)
	☑ Detailed description of the offered goods, including design and Technical Data Sheet (including
	photos);
	☑ Certificates of quality and origin for the offered goods, materials and accessories (where
	applicable), if any;
	☑ Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the
	manufacturer);
	Evidence/Certification of Environmental Sustainability ("Green" Standards) of the Company or the
	Product being supplied (if any);
	<ul> <li>☑ Certificates of Conformity, if any;</li> </ul>
	Statement of satisfactory Performance (Certificates) from the top 3 (three) clients in terms of
	Contract value on delivery of similar goods
	$\boxtimes$ Financial Statements (Income Statements and Balance Sheets) for the past 2 (two) years (2021,
	2020)
Evaluation	The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
method	
Evaluation	⊠Full compliance with all requirements as specified in Annex 1
criteria	$\boxtimes$ Full acceptance of the General Conditions of Contract
	$\boxtimes$ Be a legally registered entity or a consortium of firms/organizations
	☑ Minimum 3 (three) years of experience in sales, retail or manufacture of the similar equipment
	as per relevant Lot
	$\boxtimes$ Minimum 3 (three) contracts of similar or higher complexity implemented in the past 5 (five)
	years concluded with International Organizations or National Governments / Law enforcement
	bodies (3 (three) copies/samples of the contracts/purchase orders to be provided)
	$\boxtimes$ Minimum 2 (two) years guarantee for each proposed item
	Maximum delivery period not to exceed 120 calendar days after Contract signature
Type of	☑ Maximum denvery period not to exceed 120 calendar days after contract signature ☑ Contract Face Sheet (Goods and-or Services)
Contract to be	
awarded	
Expected date	05 December 2022
for contract	
award	

# **ANNEX 1: SCHEDULE OF REQUIREMENTS**

## Technical Specifications for Goods:

	Lav	w Enforcement training equipment and tactical gear		
Nº	Item	Description	Q-ty	
	LOT 1 – GYM ACCESSORIES - FLOORING AND OUTFITTING			
1	Martial Arts flooring MATS, TATAIMI TEXTURE, Color RED	Measurements: 200 cm x 100 cm per mat Thickness: approx. 5 cm Foam density is approx. 230 kg/m <sup>3</sup> Average weight: approx. 25 kg Life expectancy: 15 years Features: Tatami texture (rice straw texture) Climate stability: the mats will not expand or contract with changes in temperature Materials: 100% recycled multi-density, open-cell foam core Closed-cell vinyl covering that is internationally certified as phthalate free. Durable, waterproof, and easy to clean with a variety of disinfectants and mineral deposit cleaners. On the exterior, every mat is surfaced and edged with a reinforced, closed-cell vinyl that is internationally certified as phthalate free, and has received an antimicrobial treatment to help prevent the growth of microorganisms. The corners are hand-finished to ensure a moisture-proof seam at each, and the underside is completed by a natural rubber anti-skid surface for added stability. Anti-slip: underside features a natural anti-skid surface made of rubber for added stability. Detailed installation instructions / guide	46	
2	Martial Arts flooring MATS, TATAIMI TEXTURE Color Blue	Same as above	64	

3	MAT FRAMING KIT – (64m); Screw Type – wood.	Materials: solid oak for securely locking mats in place on a wooden surface, hardware included screws with wooden caps. The frame kits will suffice for a perimeter of 64 meters total	64 meters
4	HOME ROLL-OUT MAT TAPE Blue color	Easy to use and remove, designed to securely and safely hold roll-out mats together during use Each roll of mat tape measures approx. 7.5 cm x 330 cm Quantity of items may vary as long as total tape length is preserved.	80
5	HOME ROLL-OUT MAT TAPE Red color	Same as above	60
6	DOUBLE-SIDED MAT TAPE	Double-sided mat tape roll Approximate measurements: 5500 cm (55 m) long and 23 centimeters wide. Quantity of items may vary as long as total tape length is preserved. Designed to secure mats to concrete, hardwood, linoleum, or carpeting without permanent damage or residue	5

7	ALL-MAT UNDERLAYMENT for all areas under floor mats	Size for the tiles is approx. 200 cm x 100 cm. Size and quantity may vary as long as total surface is preserved. The tiles will cover the surface of positions 1 & 2 cumulatively, i.e 220 square meters. Made from foam EPE 1.0, thickness approx. 1.3 cm Easy installation, sound and vibration dampening.	100
8	WALL PADS color Blue	Measurements: approx. 183 cm x 61 cm, 3.8 cm thick Pads will be permanently attached to the walls, easy installation Features: 100% recycled, multi-density, open-cell foam polyurethane core Closed-cell vinyl covering that is internationally certified as phthalate free Meet ASTM-E84 fire rating standards Production variance no greater than 5 mm to be expected Moisture-proof finish including corners Surfaced and edged with a reinforced closed-cell vinyl that is durable, waterproof, and easy to clean with a variety of different types of disinfectants and mineral deposit cleaners Antimicrobial treatment	90
9	PORTABLE FOLDING LANDING MATS	Measurements: approx. 15cm deep, 183 cm x 365 cm Color: Royal Blue; Layout: folding, minimum 2-ply fold 50 ILD polyurethane foam core Waterproof & Easy-to-Clean, water-resistant Durable 18-ounce vinyl cover, water-resistant Breather mesh sidewalls Each mat will have strong nylon-webbing handles Production variance no greater than 5 mm to be expected	10

	LOT 2 - TACTICAL TRAINING GEAR	
Image: A constrained on the second on the	Each suit will have the following 5 (five) elements: HELMET - Extreme impact reduction and protection with Poron XRD Reactive Defense material, the latest technology in impact reduction - Injection-molded scenario face SHIELD that can lock into place, retract, or be removed completely to adapt to MMA mode - Fully enclosed to be used with training blades without them coming through the mask - ANTI-FOG visor can be easily removed and cleaned - Adapts to both MMA and mil/LE training scenarios - Training marking cartridges should personally test marking cartridges before using the helmet to ensure safety - XRD Increased side impact protection - Back panel reinforced with heavy HDPE to protect from crush impacts - Internal cinch strap for a secure fit; - One size fits all TORSO - Poron XRD impact reduction chest plate/collar bone protector - Removable shoulder pads - Comfortable/secure cummerbund closure system (simulates plate carrier) - 10 cm hook and loop tab locks the torso to the shorts PANTS - Increased impact reduction on heavy hit areas - Zippers allow for easy dressing and removal when wearing thicker pants and keep them tight when wearing compression shorts - Pocket in the front to put a cup or frontal protection of the user's choice ARMS/LEGS - HDPE and foam combination for impact protection - Lycra and spandex combo straps for comfort and functionality. Can now be worn against the skin with no irritation - Arm straps are designed to make closure with one hand much faster GLOVES - Reduced size makes them functional and mobile in a scenario-driven environment - Specifically designed to reduce impact and abrasion to the hands	Total 36 sets 6 sets Small 12 sets Medium 12 sets Large 6 sets Extra Large * please refer to sizing chart for exact measureme nts

2	HIGH GEAR TRANSPORT/STORAGE BAGS FOR ADAPTIV SUIT	Holds one or two complete suits for storage and/or transport Measurements: approx. 125 cm L x 43 cm 14 W x 35.5 cm H	36
3	TRAINING BAGS	<ul> <li>Size: approx. 76.2 cm height 53.3 cm width, 12.7 cm thickness</li> <li>The Training Bag incorporates a foam interior and poured black vinyl, nylon mesh cover. The bag is designed for Countermeasures and Tactical Baton Instruction</li> <li>The indicator on the front and back of the bag will be upright for righthanded officers. It will be upside down for left-handed officers.</li> <li>The logo on the front of the bag reinforces the correct execution of Weapon, Reaction and Straight Strikes. The Training Bag is designed with an offset handle which provides protection for the elbow of the individual holding the bag.</li> <li>Stress points of the bag are reinforced with leather patches. Pressure release holes around the perimeter of the bag allow rapid neutralization of pressure during a strike</li> <li>Soft Seam Edges</li> <li>Orientation Logo</li> <li>Pressure Relief Vents</li> <li>Retention Straps</li> </ul>	18

4	ULTRA CUFFS, CHAIN TRAINING	Materials: Forged aluminum frame with either aluminum or steel bow Permanent laser engraving or color insert to identify that they are for training only. 100% replica of duty training cuffs, with the added speed, safety and efficiency of keyless release (key is only required if cuffs are double locked). • Replaceable lock set • Computer designed/forged frame technology • Dual keyways • Length: approx. 23.9 cm • Width: approx. 7.94 cm • Weight: approx 255 grams	36
5	TRAINING SHOTGUN REMINGTON 870	Lightweight and forgiving in the training environment. In every significant training detail, training Guns replicate the exact appearance and handling characteristics of duty firearms. • 100% accurate replica • Tough, solid polymer • Red or alternative bright color • Exacting Tolerances • Reinforced Construction Weight: approx. 2.47 kg	2
6		Injection molded from an extremely durable Synthetic 100% accurate replica Tough, solid polymer Red or alternative bright color Rounded Edges to prevent abrasions Length: approx. 29.2 cm Weight: approx. 100 grams	18

7	TRAINING CARRY BAGS FOR 5 BAG PADS AND BATONS	Convenient, secure and protective means of transporting Training Bags and Training Batons to training classes. Measurements (cm): approx. 81.3L x 71W x 58.5H High strength buckles Holds 5 Training Bags and Batons Highly visible shipping label pocket	4
8	TRAINING BATONS with BELT CARRIER	Training Batons designed for dynamic simulation of street confrontations. Featuring a close weave canvas cover. • Protective Tip Disc • Soft Seam Edges • Replaceable Foam Core • Foamed Vinyl Grip • Belt Carrier Length: approx. 66 cm	36
9	TRAINING BATON CARRIER	Serves for rapid fixation of the training baton or tonfa during training, when instructor needs to free his hands. The Carrier attaches via hook/loop closure, so there's no need to remove the belt, and adjusts to fit belts of any width Easily Attaches to Belt, Hook & Loop Secures Training Baton	36
10	EQUIPMENT BELT	Ballistic weave nylon strapping / finish Inner belt stiffener, edge binding and nylon cord stitching Lined with industrial grade black Velcro or equivalent quality Fastex or equivalent quality buckle and retainers Alternative: Material: Cordura Nylon Type	36 S - 6; M - 12; L - 12; XL - 6.

		Made from extremely durable material with hemmed edges and plastic bracing on the inside Interior: Self-Gripping VELCRO female. Color: Black Fixation: Security Loop 3 points Width: 50 mm Size: S - 75-95 cm (adjustable). Size: M - 85-105 cm (adjustable). Size: L - 95-115 cm (adjustable). Size: XL - 105-125 cm (adjustable). Size: XXL - 115-135 cm (adjustable). Total Length: 140 cm, Weight: 300g	
11	TRAINING HANDGUNS Caracal F 9 mm	Lightweight and forgiving in the training Durability necessary for continuous training use. Precision molded replicate the exact appearance and handling characteristics of duty firearms • 100% accurate replica • Tough, solid polymer • Red color for absolute safety • Exacting Tolerances • Reinforced Construction Red or equivalent bright color	36

\* Sizing chart for adaptive suit:

- Small (S) 4'11" to 5'4" approx. 90 lbs to 120 lbs --->small (S) 1.5m to 1.62m approx. 41kg to 55kg
- Medium (M) 5-4" to 5'11" approx.. 120 lbs to 190 lbs--->medium(M) 1.62m to 1.81m approx. 55kg to 86kg
- Large (L) 5'11" to 6'4" approx.. 190 lbs to 230 lbs--->large(L) 1.81m to 2.1m approx. 86kg to 105kg
- Extra large (XL) 6'4"+ approx.. 230 lbs and up--->extra large(XL) 2.1m + approx. 105kg and up

## **Delivery Requirements**

	Delivery Requirements			
Delivery date and time	Bidder shall deliver the goods <b>under LOT 1 and LOT 2</b> no later than 120 calendar days (4 (four) months) after Contract signature.			
Delivery Terms (INCOTERMS 2020)	DDP Chisinau, Republic of Moldova			
Customs clearance	🖾 Supplier/bidder			
(must be linked to	UNDP shall provide a Tax Exemption letter for Customs clearance			
INCOTERM)				
Exact Address(es) of	Chisinau municipality, Republic of Moldova, "Stefan cel Mare Academy", Adress: No.			
Delivery Location(s)	21 Gh. Asachi Street			
Packing Requirements	Factory packaging			
Training on Operations	n/a			
and Maintenance	11/ 4			
Warranty Period	Standard 2-years warrantee for all products			
After-sales service and	Replacement of goods with defects or which do not correspond to the required quality			
local service support	with new goods of similar or better quality within acceptable market delivery standards,			
requirements	however not later than 4 (four) months since official request.			

# ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.			
RFQ reference:	RFQ22/002557: PA/Endowment of the Police Academy training spaces: Gym accessories – Flooring and outfitting (LOT1) and Tactical training gear (LOT2)	Date: Click or tap to enter a date.		

#### **Company Profile**

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) ( <i>If</i> <i>yes, provide a Copy of the valid</i> <i>Certificate):</i>	□ Yes □ No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	□ Yes □ No
Does your Company have a written Statement of its Environmental Policy? ( <i>If yes,</i> <i>provide a Copy</i> )	□ Yes □ No
Does your organization demonstrate significant commitment to sustainability	□ Yes □ No

through some other mea example internal compar documents on women empowerment, renewab energies or membership institutions promoting su issues ( <i>If yes, provide a Co</i>	ny policy le of trade ich				
ls your company a memb the UN Global Compact	er of	□ Yes □ No			
Bank Information		Bank Address IBAN: Click or SWIFT/BIC: Cl Account Curre Bank Account		re to enter text. er text. o enter text. o here to enter text. or tap here to enter t	ext.
	ational Or	ganizations or	National Gover	nted in the past 5 (fin nments / Law enforc attached to the quot	
Name of previous contracts	Conta	& Reference act Details ling e-mail	Contract Value	Period of activity	Types of activities undertaken

#### **Bidder's Declaration**

Yes	No	
		<b>Requirements and Terms and Conditions:</b> I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		<b>Ethics</b> : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.

Yes	No	
		<b>Conflict of interest:</b> I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		<b>Prohibitions, Sanctions:</b> I/We hereby declare that our firm, ultimate beneficial owners, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		<b>Bankruptcy</b> : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		<b>Offer Validity Period:</b> I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

## Signature: \_\_\_\_

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

# **ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS**

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ22/02557: PA/Endowment of the Police Academy training spaces: Gym accessories – Flooring and outfitting (LOT1) and Tactical training gear (LOT2)	Date: Click or tap to enter a date.

Bidders must include all costs related to the performance of the services in their quotation price (delivery of all goods and equipment, transport costs, unloading at the delivery site, installation etc.)

Bidders shall fill up the financial offer table for the LOT they are applying to.

#### FLOORING AND OUTFITTING (LOT1)

ltem No	Description	UOM	Qty	Unit price	Total price
1.	Martial Arts flooring MATS, RED	each	46		
2.	Martial Arts flooring MATS, BLUE	each	64		
3.	MAT FRAMING KIT, total 64 m	meters	64		
4.	HOME ROLL-OUT MAT TAPE Blue	each	80		
5.	HOME ROLL-OUT MAT TAPE Red	each	60		
6.	DOUBLE-SIDED MAT TAPE	each	5		
7.	ALL-MAT UNDERLAYMENT	each	100		
8.	WALL PADS color Blue	each	90		
9.	PORTABLE FOLDING LANDING MATS	each	10		
	1		Deliver	y and other costs	
				(if applicable) *	
		Total F	inal and A	All-inclusive Price	

\*In case the delivery and other costs are included in the value of equipment and cannot be reflected as a separate line of expenses, please specify 0 value in "Delivery and other costs" line in the table above, while the price of 0.01 USD is to be indicated in the section "Lines" of Quantum tender system. In such a situation, the exact Contract price will be corrected during the contract negotiation with the winner.

# TACTICAL TRAINING GEAR (LOT2)

ltem No	Description	UOM	Qty	Unit price	Total price
1.	HIGH GEAR ADAPTIV SUIT	set	36		
2.	STORAGE BAGS FOR ADAPTIV SUIT	each	36		
3.	TRAINING BAGS	each	18		
4.	ULTRA CUFFS, CHAIN TRAINING	each	36		
5.	TRAINING SHOTGUN REMINGTON 870	each	2		
6.	TRAINING KNIVES	each	18		
7.	TRAINING CARRY BAGS FOR 5 BAG PADS AND BATONS	each	4		
8.	TRAINING BATONS with BELT CARRIER	each	36		
9.	TRAINING BATON CARRIER	each	36		
10.	EQUIPMENT BELT	each	36		
11.	TRAINING HANDGUNS Caracal F 9 mm	each	36		
	1		Deliver	y and other costs (if applicable) *	
		Total Fi	inal and 4	All-inclusive Price	

\*In case the delivery and other costs are included in the value of equipment and cannot be reflected as a separate line of expenses, please specify 0 value in "Delivery and other costs" line in the table above, while the price of 0.01 USD is to be indicated in the section "Lines" of Quantum tender system. In such a situation, the exact Contract price will be corrected during the contract negotiation with the winner.

### **Compliance with Requirements**

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Maximum delivery period not to exceed 120			
calendar days upon signature of contract			Click or tap here to enter text.
Minimum Technical Specifications			Click or tap here to enter text.
Warranty period - minimum 24 months			Click or tap here to enter text.
Delivery Term (INCOTERMS) - DDP Chisinau			Click or tap here to enter text.
Validity of Quotation - 90 calendar days			Click or tap here to enter text.
All provisions of the UNDP General terms and Conditions			Click or tap here to enter text.

Payment terms			Click or tap here to enter text.
---------------	--	--	----------------------------------

# **Other Information:**

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted	
if awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.				
Exact name and address of company	Authorized Signature:			
Company NameClick or tap here to enter text. Address: Click or tap here to enter text.	Date: Click or tap here to enter text.			
Phone No.: Click or tap here to enter text.	Name: Click or tap here to enter text.			
Email Address: Click or tap here to enter text.	Functional Title of Authorised Signatory: Click or tap here to enter text.			
	Email Address: Click or tap here to enter text.			

## **ANNEX 4: TECHNICAL RESPONSIVENESS TABLE**

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted

Name of Bidder:	Click or tap here to enter text.
RFQ reference:	RFQ22/02557: PA/Endowment of the Police Academy training spaces: Gym accessories – Flooring and outfitting (LOT1) and Tactical training gear (LOT2)

Bidders shall supplement the information provided in the tables below with detailed description of the offered goods, including c photos).

#### Bidders shall fill up the Technical Responsiveness Table for the LOT they are applying to.

#### FLOORING AND OUTFITTING (LOT1)

		Conformity	Offered Brand
#	Technical requirements (Features at least)	(Yes/No)	<b>chara</b> (Technical characteristics should not a Schedule o
1.	MARTIAL ARTS FLOORING MATS, RED Measurements: 200 cm x 100 cm per mat Thickness: approx. 5 cm. Foam density is approx. 230 kg/m <sup>3</sup> Average weight: approx. 25 kg. Life expectancy: 15 years. Features: Tatami texture (rice straw texture). Climate stability: the mats will not expand or contract with changes in temperature Materials: 100% recycled multi- density, open-cell foam core. Closed-cell vinyl covering that is internationally certified as phthalate free. Durable, waterproof, and easy to clean with a variety of disinfectants and mineral deposit cleaners. On the exterior, every mat is surfaced and edged with a reinforced, closed-cell vinyl that is internationally certified as phthalate free, and has received an antimicrobial treatment to help prevent the growth of microorganisms. The corners are hand- finished to ensure a moisture-proof seam at each, and the underside is completed by a natural rubber anti-skid surface for added stability. Anti-slip: underside features a natural anti-skid surface made of rubber for added stability. Detailed installation instructions / guide		

2.	Martial Arts flooring MATS, BLUE Same as above	
3.	MAT FRAMING KIT, total 64 m. Screw Type – wood. Materials: solid oak for securely locking mats in place on a wooden surface, hardware included screws with wooden caps. The frame kits will suffice for a perimeter of 64 meters total	
4.	HOME ROLL-OUT MAT TAPE Blue Easy to use and remove, designed to securely and safely hold roll-out mats together during use Each roll of mat tape measures 7.5 cm x 330 cm	
5.	HOME ROLL-OUT MAT TAPE Red same as above	
6.	DOUBLE-SIDED MAT TAPE Double-sided mat tape roll Approximate measurements: 5500 cm (55 m) long and 23 centimeters wide. Quantity of items may vary as long as total tape length is preserved. Designed to secure mats to concrete, hardwood, linoleum, or carpeting without permanent damage or residue	
7.	ALL-MAT UNDERLAYMENT Size for the tiles is 200 cm x 100 cm. Size and quantity may vary as long as total surface is preserved. The tiles will cover the surface of positions 1 & 2 cumulatively, i.e 220 square meters. Made from foam EPE 1.0, thickness approx. 1.3 cm Easy installation, sound and vibration dampening	
8.	WALL PADS color Blue Measurements: approx. 183 cm x 61 cm, 3.8 cm thick Pads will be permanently attached to the walls, easy installation Features: 100% recycled, multi-density, open-cell foam polyurethane core Closed-cell vinyl covering that is internationally certified as phthalate free Meet ASTM-E84 fire rating standards Production variance no greater than 5 mm to be expected Moisture-proof finish including corners	

	Surfaced and edged with a reinforced closed-cell vinyl that is	
	durable, waterproof, and easy to clean with a variety of different	
	types of disinfectants and mineral deposit cleaners	
	Antimicrobial treatment	
	PORTABLE FOLDING LANDING MATS	
	Measurements: approx. 15cm deep, 183 cm x 365 cm	
	Color: Royal Blue; Layout: folding, minimum 2-ply fold	
•	50 ILD polyurethane foam core	
9.	Waterproof & Easy-to-Clean, water-resistant	
	Durable 18-ounce vinyl cover, water-resistant	
	Breather mesh sidewalls	
	Each mat will have strong nylon-webbing handles	
	Production variance no greater than 5 mm to be expected	

## **TACTICAL TRAINING GEAR (LOT2)**

#	Technical requirements (Features at least)	Conformity (Yes/No)	Offered Brand, Model and Exact characteristics (Technical characteristics should not be less/worse than those listed in Annex 1: Schedule of Requirements)
1.	<ul> <li>HIGH GEAR ADAPTIV SUIT</li> <li>Each suit will have the following elements:</li> <li>HELMET</li> <li>Extreme impact reduction and protection with Poron XRD</li> <li>Reactive Defense material, the latest technology in impact reduction</li> <li>Injection-molded scenario face SHIELD that can lock into place, retract, or be removed completely to adapt to MMA mode</li> <li>Fully enclosed to be used with training blades without them coming through the mask</li> <li>ANTI-FOG visor can be easily removed and cleaned</li> <li>Adapts to both MMA and mil/LE training scenarios</li> <li>Training marking cartridges should personally test marking cartridges before using the helmet to ensure safety</li> <li>XRD Increased side impact protection</li> <li>Back panel reinforced with heavy HDPE to protect from crush impacts</li> <li>Internal cinch strap for a secure fit</li> <li>One size fits all</li> </ul>		

	TORSO	
	- Poron XRD impact reduction chest plate/collar bone protector	
	- Removable shoulder pads	
	- Comfortable/secure cummerbund closure system (simulates	
	plate carrier)	
	- 10 cm hook and loop tab locks the torso to the shorts	
	PANTS	
	- Increased mobility for kicking and knees	
	- Increased impact reduction on heavy hit areas	
	- Zippers allow for easy dressing and removal when wearing thicker	
	pants and keep them tight when wearing compression shorts	
	- Pocket in the front to put a cup or frontal protection of the user's	
	choice	
	ARMS/LEGS	
	- HDPE and foam combination for impact protection	
	- Lycra and spandex combo straps for comfort and functionality.	
	Can now be worn against the skin with no irritation	
	- Arm straps are designed to make closure with one hand much	
	faster	
	GLOVES	
	- Reduced size makes them functional and mobile in a scenario-	
	driven environment	
	- Specifically designed to reduce impact and abrasion to the hands	
	STORAGE BAGS FOR ADAPTIV SUIT	
2.	Holds one or two complete suits for storage and/or transport	
	Measurements: approx. 125 cm L x 43 cm 14 W x 35.5 cm H	
	TRAINING BAGS	
	Size: approx. 76.2 cm height 53.3 cm width, 12.7 cm thickness	
	The Training Bag incorporates a foam interior and poured black	
	vinyl, nylon mesh cover. The bag is designed for Countermeasures	
-	and Tactical Baton Instruction	
3.	The indicator on the front and back of the bag will be upright for	
	righthanded	
	officers. It will be upside down for left-handed officers.	
	The logo on the front of the bag reinforces the correct execution	
	of Weapon, Reaction and Straight Strikes. The Training Bag is	
	designed with an offset	

	handle which provides protection for the elbow of the individual	
	holding the bag.	I
	Stress points of the bag are reinforced with leather patches.	I
	Pressure release holes	I
	around the perimeter of the bag allow rapid neutralization of	I
	pressure during a strike	l
	Soft Seam Edges	l
	Orientation Logo	I
	Pressure Relief Vents	I
	Retention Straps	
	ULTRA CUFFS, CHAIN TRAINING	
	Materials: Forged aluminum frame with either aluminum or steel	ļ
	bow	ļ
	Permanent laser engraving or color insert to identify that they are	ļ
	for training only.	ļ
	100% replica of duty training cuffs, with the added speed, safety	ļ
4.	and efficiency of	ļ
ч.	keyless release (key is only required if cuffs are double locked).	ļ
	Replaceable lock set	ļ
	• Computer designed/forged frame technology	ļ
	• Dual keyways	ļ
	• Length: approx. 23.9 cm	
	• Width: approx. 7.94 cm	ļ
	• Weight: approx 255 grams	
	TRAINING SHOTGUN REMINGTON 870	
	Lightweight and forgiving in the training	ļ
	environment. In every significant training detail,	ļ
	training Guns replicate the exact appearance and handling	ļ
	characteristics of duty	ļ
	firearms.	
5.	• 100% accurate replica	ļ
	• Tough, solid polymer	ļ
	Red or alternative bright color	ļ
		ļ
	Exacting Tolerances     Reinforced Construction	ļ
		ļ
	Weight: approx. 2.47 kg	
6.	TRAINING KNIVES	ļ
	Injection molded from an extremely durable Synthetic	
	100% accurate replica	

	Tough, solid polymer	
	Red or alternative bright color	
	Rounded Edges to prevent abrasions	
	Length: approx. 29.2 cm	
	Weight: approx. 100 grams	
	TRAINING CARRY BAGS FOR 5 BAG PADS AND BATONS	
	Convenient, secure and protective means of transporting Training	
	Bags and Training Batons to training classes.	
7.	Measurements (cm): approx. 81.3L x 71W x 58.5H	
	High strength buckles	
	Holds 5 Training Bags and Batons	
	Highly visible shipping label pocket	
	TRAINING BATONS with BELT CARRIER	
	Training Batons designed for dynamic simulation of street	
	confrontations. Featuring a close weave canvas cover.	
8.	Protective Tip Disc	
_	Soft Seam Edges	
	Replaceable Foam Core	
	Foamed Vinyl Grip	
	Belt Carrier	
	Length: approx. 66 cm	
	TRAINING BATON CARRIER	
	Serves for rapid fixation of the training baton or tonfa during	
9.	training, when instructor needs to free his hands.	
	The Carrier attaches via hook/loop closure, so there's no need to	
	remove the belt, and adjusts to fit belts of any width	
	Easily Attaches to Belt, Hook & Loop Secures Training Baton	
	EQUIPMENT BELT	
	Ballistic weave nylon strapping / finish	
	Inner belt stiffener, edge binding and nylon cord stitching	
	Lined with industrial grade black Velcro or equivalent quality	
	Fastex or equivalent quality buckle and retainers	
10.	Alternative:	
	Material: Cordura Nylon Type	
	Made from extremely durable material with hemmed edges and	
	plastic bracing on the inside	
	Interior: Self-Gripping VELCRO female.	
	Color: Black	

	Fixation: Security Loop 3 points		
	Width: 50 mm		
	Size: S - 75-95 cm (adjustable). Size: M - 85-105 cm (adjustable).		
	Size: L - 95-115 cm (adjustable). Size: XL - 105-125 cm (adjustable).		
	Size: XXL - 115-135 cm (adjustable).		
	Total Length: 140 cm;		
	Weight: 300g		
	TRAINING HANDGUNS Caracal F 9 mm		
	Lightweight and forgiving in the training		
	Durability necessary for		
	continuous training use. Precision molded		
	replicate the exact appearance and handling characteristics of duty		
11.	firearms		
	• 100% accurate replica		
	Tough, solid polymer		
	Red color for absolute safety		
	Exacting Tolerances		
	Reinforced Construction		
	Red or equivalent bright color		