

ANNEX 1 SCHEDULE OF REQUIREMENTS – Amendment no. 1

All the changes to the technical specifications are marked in red color below

Technical Specifications: Crime Scene Kits				
Item	GENERIC SPECIFICATIONS		UOM	Qty
1.	Crime Scene Marking Kit (no changes)		kits	4
	Purpose:			
		Used by forensic investigators to accurately document and mark evidence at a crime scene.		
	Composition:			
		1. Case 2. Fiberglass reel tape 3. Metal measuring tape 4. Folding ruler 5. Laser rangefinder		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Case: 1 pc per kit	<ul style="list-style-type: none">- ABS- Preferably black or any dark color- Anti corrosive hinges- Two latches- Preferably folding front handle- Supports at least 10 kg- Padding: foam insert or elastic straps		
Fiberglass reel tape: 1 pc per kit	<ul style="list-style-type: none">- Yellow fiberglass;- Length - min. 30 m;- Black millimeter and centimeter markings;- Flexible, resistant to moisture, non-electrically conductive, resistant to physical actions of twisting, bending and breaking;- Versatile end hook;- Rewind crank.			
Metal measuring tape: 1 pc per kit	<ul style="list-style-type: none">- Anticorrosive finish;- Yellow color;- Length – 5 m;- Black millimeter and centimeter markings;- Flexible, resistant to moisture, non-electrically conductive, resistant to physical actions of twisting, bending and breaking;- Versatile end hook- Locking mechanism			

Folding ruler: 1 pc per kit	<ul style="list-style-type: none"> - Wooden or metal - Alternative black/white metric marking - Length – 1 m; - Joints with stops 		
Laser rangefinder: 1 pc per kit	<ul style="list-style-type: none"> - Laser beam, class II - Optical device to follow laser beam on long distances - Measuring range: 0.05 m up to 200 m - Accuracy: +/- 2 mm - Backlit display - Tripod mounting possibility - Metric units - Possibility to memorize the last 10 measurements - Continuous measurements function 		
A-Frame evidence marking tents: 1 pc per kit	<ul style="list-style-type: none"> - Letters: A to G - Numbers: 1 to 20 - Yellow color with black printing - Square or rectangular shape of sides - Dimensions: 7-10 cm - Carrying case/bag 		
Evidence marking flags: 1 pc per kit	<ul style="list-style-type: none"> - Metallic pole - Height: 30-40 cm - Colour: red (10 pcs), yellow (10 pcs), green (10 pcs) - Carrying case/bag 		
Photo evidence tape: 3 pcs per kit	<ul style="list-style-type: none"> - Adhesive tape - Width: 10-15 mm - Length: 3 m with 0-30 cm repeat - Metric (millimeters and centimeters) black marking on white matte finish 		
Vinyl magnetic evidence scale: 4 pcs of each color	<ul style="list-style-type: none"> - Metric (centimeters and millimeters) marking - Black on white - White on black - Length – 15 cm 		
Reflective chalk: 3 pcs per kit			
Permanent markers and water-based markers (red, black, blue): 1 pc of each type and color per one kit			
Clutch/mechanical pencil with red, black, blue leads 1 set of leads of each color)			
Fluorescent pencils for forensic marking (red) 3 pcs per kit			
Stickers (set of min 50 pcs): 1 set of each color per kit <ul style="list-style-type: none"> - Red and green - Width – 10 cm - Length – 1.5 cm 			
Documentation:			
	User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		

2.	Universal Forensic Kit (amended specifications are marked in red colour below)		kits	10
	Purpose:			
		A comprehensive set of tools and materials designed for forensic analysis across various types of evidence.		
	Composition:			
		<div>1. Case</div> <div>2. Fingerprint ink pad</div> <div>3. Fingerprint ink roller</div> <div>4. Black fingerprint ink</div> <div>5. Ink cleaning solution or wipes</div> <div>6. Gelatin lifters for fingerprints</div> <div>7. Fingerprint lifters (size 10 x 15 cm)</div> <div>8. Fingerprint lifters (size 5 x 10 cm)</div> <div>9. Transparent lifting tape</div> <div>10. Small particle reagents</div> <div>11. Latent print powders</div> <div>12. Magnetic latent print powders</div> <div>13. Standard fiberglass brush</div> <div>14. Magnetic powder applicator with protective container</div> <div>15. Squirrel or Camel hair brush (type 1)</div> <div>16. Squirrel or Camel hair brush (type 2)</div> <div>17. Digital caliper</div> <div>18. Stainless steel scissors:</div> <div>19. Silicone casting kit</div> <div>20. Silicone rubber spray</div> <div>21. Modeling clay (monochrome bars)</div> <div>22. Round magnet with handle</div> <div>23. Flat tip tweezers (type 1)</div> <div>24. Flat tip tweezers (type 2)</div> <div>25. Sharp tip tweezers</div> <div>26. Surgical scalpel handle</div> <div>27. Disposable sterile scalpel blades</div> <div>28. Metal measuring tape</div> <div>29. Thin sterile surgical gloves (size XL)</div> <div>30. Thick rubber gloves</div> <div>31. Zip-lock plastic bags</div> <div>32. Sterile plastic bags</div> <div>33. Transparent evidence collection plastic tubes with cap</div> <div>34. Stickers with figures 0 to 9</div> <div>35. Stickers with printed arrows</div> <div>36. Universal plier</div> <div>37. Fixing spray</div> <div>38. Plastic mixing container/bowl</div> <div>39. Permanent red marker</div> <div>40. Flashlight</div>		

		41. Magnifying glass 42. Phillips screwdriver 43. Flat-head screwdriver 44. Voltage tester screwdriver 45. Glass cutter 46. Reflective chalk		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Case:	- ABS - Preferably black or any dark color - Anti corrosive hinges - Two latches - Preferably folding front handle - Supports at least 10 kg; - Padding: foam insert or elastic straps		
	Fingerprint ink pad:	- Plastic or similar material case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm		
	Fingerprint ink roller:	- Made of rubber - Width: 5-7 cm - Handle bracket		
	Black fingerprint ink (min 100 ml)			
	Ink cleaning solution (min 100 ml) or wipes (min 100 pcs)			
	Gelatin lifters for fingerprints: 30 pcs of each color per kit	Size: 13 x 18 cm (± 2 cm) Color: - Black - White - Transparent - Supplied within a cold bag Note: Only 20 pcs of lifters of each color will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag.		
	Fingerprint lifters: 20 pcs of each color per kit	Size: 10 x 15 cm (± 2 cm) - Black - White - Transparent		
	Fingerprint lifters: 50 pcs of each color per kit	Size: 5 x 10 cm (± 2 cm) - Black - White - Transparent Note: Only 20 pcs of lifters of each color will be		

		supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag.		
	Transparent lifting tape:	- Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm		
	Small particle reagents:	- Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head		
	Latent print powders (3): Weight: 100-200 gr per bag per color	- Color: white red, black and silver - Application by powdering or by using special brushes - Operating temperature range: -10° C/ +45°C - Storage box		
	Magnetic latent print powders (3): Weight: 100-200 gr per bag per color	- Black, silver - Double contrast - Fluorescent red - Storage box		
	Standard fiberglass brush: 2 pcs per kit	- Length of active part of brush – at least 5 cm - Protective container and cap		
	Magnetic powder applicator with protective container			
	Squirrel or Camel hair brush: 2 pcs per kit	- Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap		
	Squirrel or Camel hair brush (type 2): 2 pcs per kit	- Uncut hair - Semicircle - Wooden handle – 15-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap		
	Digital caliper:	- Stainless steel - Length – 15 cm		
	Stainless steel scissors:	- Rounded tips - Length – 10-15 cm		
	Silicone casting kit:1 set	- Liquid silicone rubber – 1 tube of min 150 g - 1 vial of catalyst – quantity sufficient for the liquid silicone rubber quantity - Plastic spatula – 1 pc - Silicone compound to be of light color, waterproof and able to return to original shape after deformation - Silicone compound hardens within 10 minutes		
	Silicone rubber spray (1 tube of min 150 ml)			
	Modeling clay (monochrome bars, at least 30 g/bar) 3 pcs per kit			
	Round magnet with handle (diameter: 20-25 mm)			
	Flat tip tweezers (type 1):	- Material: Stainless steel		

		- Length: 10-15 cm		
Flat tip tweezers (type 2):		- Material: Stainless steel - Length: 20-25 cm		
Sharp tip tweezers:		- Material: Stainless steel - Length: 8-10 cm		
Surgical scalpel handle: plastic or similar material.				
Disposable sterile scalpel blades (packed separately), compatible with the surgical scalpel handle. 10 pcs per 1 kit				
Metal measuring tape:		- Anticorrosive finish - Yellow color - Length: 5 m - Black millimeter and centimeter markings - Versatile end hook - Locking mechanism		
Thin sterile surgical gloves (size XL) 5 pairs per kit				
Thick rubber gloves				
Zip-lock plastic bags: 5 pcs per kit		- Dimensions: 15-20 cm x 45-50 cm		
Sterile plastic bags: 5 pcs per kit		- Dimensions: 10-15 cm x 40-45 cm		
Transparent evidence collection plastic tubes with cap: 5 pcs per kit		- Diameter: 2 cm - Length: 15-20 cm		
Stickers with figures 0 to 9 (6 pcs per A4 sheet, one sheet for each figure) 10 sheets per kit				
Stickers with printed arrows: 4 sheets		- Black marking on white background - Length: 30-40 mm - Width: 10-20 mm		
Universal plier:		- Anticorrosive finish - Insulated handles		
Fixing spray:		- 1 tube of 100 ml min. 500 ml - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min		
Plastic mixing container/bowl, diameter at the top 12-15 cm				
Permanent red marker				
Flashlight		- UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger included - Body: metal or highly resistant plastic		

	Magnifying glass:	- Diameter: 75 mm - Magnification: 3.5 x or more		
	Phillips screwdriver: length 15-17 cm			
	Flat-head screwdriver: length 18-20 cm			
	Voltage tester screwdriver: Voltage: AC 100-500V			
	Glass cutter			
	Reflective chalk: 3 pcs per kit			
	Documentation:			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		
3.	Trace evidence kit (amended specifications are marked in red colour below)		kits	4
	Purpose:			
		Used to collect and preserve small, often microscopic, pieces of physical evidence found at a crime scene.		
	Composition:			
		1. Case 2. MIKROSIL Kit (brown and white) 3. Dental gypsum or Crownstone plaster 4. Rubber mixing container/bowl 5. Adjustable casting frame 6. Wax spray 7. Fixing spray 8. Pig hairbrush 10. Plastic pipette with rubber bulb 11. Filter paper 12. Plastic spatula 13. Metal/wood "junior" hacksaw 14. Plumber wrench 15. Hammer 16. Diagonal 17. Carpenter's chisel 18. Metal cutting scissors 19. Metal tweezers 20. Metal Kocher forceps 21. Silicone spray 22. Universal Tool (Breaker) - 1 Hole		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			

	Case:	<ul style="list-style-type: none"> - ABS - Preferably black or any dark color - Anti corrosive hinges - Two latches - Preferably folding front handle - Supports at least 10 kg; - Padding: foam insert or elastic straps 		
	MIKROSIL Kit (brown and white):	<p>Material:</p> <ul style="list-style-type: none"> - Plastic or light metal tubes with a capacity between 20-50 ml. <p>Closure System:</p> <ul style="list-style-type: none"> - Tight closing system (caps) to securely hold the contents and prevent leakage during transport and storage. <p>Labeling:</p> <ul style="list-style-type: none"> - Product Name: Clearly labeled with the name of the product. <p>Supplier Information:</p> <ul style="list-style-type: none"> - Name and contact details of the supplier. <p>Quantity:</p> <ul style="list-style-type: none"> - Amount of substance contained in the kit. <p>Expiration Date:</p> <ul style="list-style-type: none"> - Warranty period indicating the expiration date for the product. <p>Safety Information:</p> <ul style="list-style-type: none"> - Mentions regarding the nature of the substance and its toxicity level for the human body. <p>Storage, Transport, and Use Instructions:</p> <ul style="list-style-type: none"> - Clear instructions regarding mandatory conditions for storage, transport, and use to ensure safe handling and optimal performance. 		
	Dental gypsum or Crownstone plaster:	<ul style="list-style-type: none"> - Powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 		
	Rubber mixing container/bowl:	<ul style="list-style-type: none"> - Diameter at the top 12-15 cm - Resistant to chemicals and petroleum based oils 		
	Adjustable casting frame: 3 pcs per kit (three large and three small)	<ul style="list-style-type: none"> - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side 		

		<ul style="list-style-type: none"> - Size 1 (WxL): 15-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 		
	Wax spray: 3 pcs per kit 1 container	<ul style="list-style-type: none"> - Volume: min. 500 ml - Colorless - Operation temperature range: -10° C/ +40°C 		
	Fixing spray: 3 pcs per kit 1 container	<ul style="list-style-type: none"> - Volume: min. 500 ml - Colorless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 		
	Pig hairbrush:	<ul style="list-style-type: none"> - Wooden handle - Length: 10-15 cm - Brush length: 3-5 cm 		
	Plastic pipette with rubber bulb			
	Filter paper: : 5 pcs per kit			
	Plastic spatula			
	Metal/wood "junior" hacksaw			
	Plumber wrench			
	Hammer (250 gr) with wooden handle, min 20 cm long			
	Diagonal cutting pliers (min 15 cm long)			
	Carpenter's chisel (min 10 cm long, active part 3 cm)			
	Metal cutting scissors (snips) (20 cm long)			
	Metal tweezers	<ul style="list-style-type: none"> - Length: 10-15 cm Type: <ul style="list-style-type: none"> - Straight edge - Curved point 		
	Kocher forceps	<ul style="list-style-type: none"> - Material: stainless steel Type: straight <ul style="list-style-type: none"> - Length: 10-15 cm 		
	Universal Tool (Breaker) - 1 Hole	Material: <ul style="list-style-type: none"> - High-grade stainless steel or durable alloy construction for strength and longevity. - Corrosion-resistant coating to prevent degradation over time. Design: <ul style="list-style-type: none"> - Ergonomic handle design for comfortable grip and precise control. - Single hole for efficient breaking and separation of materials. - Compact and lightweight for easy handling and portability. Functionality: <ul style="list-style-type: none"> - Capable of breaking a wide range of materials commonly encountered in forensic trace 		

		<p>evidence analysis, including glass, fibers, and ceramics.</p> <ul style="list-style-type: none">- Precision-engineered hole for controlled braking without excessive fragmentation. <p>Compatibility:</p> <ul style="list-style-type: none">- Compatible with standard forensic laboratory procedures and equipment.- Designed to integrate seamlessly into trace evidence kits for comprehensive forensic analysis. <p>Durability:</p> <ul style="list-style-type: none">- Engineered for durability and reliability in demanding forensic environments.- Resistant to wear and deformation during repeated use. <p>Safety Features:</p> <ul style="list-style-type: none">- Smooth edges and surfaces to minimize the risk of accidental injury during operation.- Non-slip grip for enhanced control and safety. <p>Maintenance:</p> <ul style="list-style-type: none">- Low-maintenance design for ease of upkeep.- Recommended periodic cleaning and inspection to ensure optimal performance.		
	Silicone spray: 3 pcs per kit 1 container	<ul style="list-style-type: none">- Volume: min. 500 ml- Type: colorless		
	Documentation:			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		
4.	Microparticle evidence kit (no changes)		kits	3
	Purpose:			
		Used to collect and preserve tiny particles, often invisible to the naked eye, found at a crime scene.		
	Composition:			
		1. Case 2. Transparent lifting tape 3. Waxed paper 4. Portable vacuum cleaner		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Case:	<ul style="list-style-type: none">- ABS- Preferably black or any dark color- Anti corrosive hinges- Two latches		

		<ul style="list-style-type: none">- Preferably folding front handle- Supports at least 10 kg;- Padding: foam insert or elastic straps		
	Transparent lifting tape: 1 pc of each dimension per kit	<ul style="list-style-type: none">- Length: 10 m- Width: min 3 cm, 5 cm, 10 cm		
	Waxed paper (A4), min 20 sheets per set, 3 sets per kit			
	Portable vacuum cleaner:	<ul style="list-style-type: none">- Rechargeable battery- Battery life (fully charged) – min 2 hours- Power supply: 210-240 V AC- Filter assembly- Disposable polyester micro-filters – 100 pcs- Lockable plastic case		
5.	Biological traces/particles kit (no changes)		kits	4
	Purpose:			
	Used to collect and preserve biological materials found at a crime scene, such as blood, saliva, semen, or skin cells			
	Composition:			
	1. Case 2. Unpowdered sterile medical gloves 3. Forensic sterile cotton swab with plastic tip protector 4. Cardboard box 5. DNA controlled absorbent cotton tipped swab 6. Surgical scalpel handle (metal) 7. Disposable blades for the scalpel 8. Sterile syringes with needles 9. Sterile gauze pads 10. Sterile water 11. Solution for sterilization of instruments and container 12. Evidence enveloped with printed text 13. Paper bags 14. Writable stickers 15. Sterile cotton swabs 16. Disposable plastic tweezers			
	Accessories:			
	Any other accessory which is required for operation should be included and described in your offered specification.			
	Specifications:			
	Case:	<ul style="list-style-type: none">- ABS- Preferably black or any dark color- Anti corrosive hinges- Two latches		

		<ul style="list-style-type: none">- Preferably folding front handle- Supports at least 10 kg;- Padding: foam insert or elastic straps			
	Unpowdered sterile medical gloves (sizes M and L): 10 pairs of each size per kit				
	Forensic sterile cotton swab with plastic tip protector: 10 pcs of per kit				
	Cardboard box, adapted to the dimensions of the swab to individually store and transport the collected samples : 10 pcs of per kit				
	DNA controlled absorbent cotton tipped swab: 50 pcs per kit				
	Surgical scalpel handle (metal)				
	Disposable sterile scalpel blades (packed separately) compatible with surgical scalpel handle: 10 pcs per kit				
	Sterile syringes with needles, 5 ml: 15 pcs per kit				
	Sterile gauze pads (10x10 cm) (5 pcs per pack)				
	Sterile water (10 ml) 1 bottle per kit				
	Solution for sterilization of instruments (100 ml) and container	<ul style="list-style-type: none">- 90 ml of 10% sodium hypochlorite solution- 10 ml of 98% ethanol			
	Evidence envelopes with printed text: 20 pcs of each dimension per kit	<ul style="list-style-type: none">- White transparent paper- Dimensions:<ul style="list-style-type: none">• 9 x 17 cm• 16 x 23 cm• 10 x 15 cm			
	Paper bags (80 x 100 cm) with printed text: 10 pcs per kit				
	Writable stickers: 20 pcs per kit				
	Sterile cotton swabs: 50 pcs per kit				
	Disposable plastic tweezers: 10 pcs				
	Documentation:				
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).			
6.	Electrostatic Dust Print Lifter Kit (no changes)			kit	
	Purpose:				1
		Used to lift and preserve dust impressions, footprints, or other latent prints from surfaces at a crime scene using an electrostatic charge.			
	Composition:				
		<ul style="list-style-type: none">- Electrostatic Voltage Control- Ground Plane, nickel-plated steel- Ground Plane Polycarbonate Insulating Sheet- Insulated Roller- 9V Alkaline Battery- Metalized Lifting Mats in Protective Tube- Lifting Mats- Lifting Material- Static Discharge Cable- Carrying case			

	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Carrying case			
	Electrostatic Voltage Control			
	Ground Plane, nickel-plated steel (10 cm x 15 cm) ± 2 cm			
	Ground Plane Polycarbonate Insulating Sheet (12 cm x 17 cm) ± 2 cm			
	Insulated roller			
	9V alkaline battery 2 pcs			
	Metalized lifting mats in protective tube: set of 5 pcs			
	Lifting mats: 2 sets of 10 pcs each			
	Lifting material roll			
	Static discharge cable			
	Carrying case			
	Documentation:			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		
7.	Crime Scene Sketch Kit (no changes)		kits	4
Purpose:				
	Used to accurately document the layout, dimensions, and spatial relationships of a crime scene.			
Composition:				
	1. Pad of Graph Paper (50 Sheets) 2. Plastic ruler (30 cm) 3. Clutch/mechanical sketch pencil 4. Traffic Template 5. Lavatory Planning Template 6. House Furnishings Template 7. Store Layout Template 8. Office Plan Template 9. Universal Compass 10. Metal measuring tape (15 m) 11. Set of Professional Drawing Instruments 12. Triangle ruler (30°/60°/90°) (transparent plastic) 13. Triangle ruler (45°/45°/90°) (transparent plastic) 14. Sketching and Detail Drawing of the Crime Scene Booklet 15. Carrying case with handle			
Accessories:				
	Any other accessory which is required for operation should be included and described in your offered specification.			
Specifications:				

	Pad of Graph Paper (50 Sheets)			
	Plastic ruler (30 cm)			
	Clutch/mechanical sketch pencil			
	Traffic Template			
	Lavatory Planning Template			
	House Furnishings Template			
	Store Layout Template			
	Office Plan Template			
	Universal Compass			
	Metal measuring tape (15 m)			
	Set of Professional Drawing Instruments			
	Triangle ruler (30°/60°/90°) (transparent plastic)			
	Triangle ruler (45°/45°/90°) (transparent plastic)			
	Sketching and Detail Drawing of the Crime Scene Booklet			
	Carrying case with handle			
	Documentation:			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		
8.	Portable Fingerprinting Kit (amended specifications are marked in red colour below)		kits	2
	Purpose:			
		Designed to enable law enforcement personnel or forensic investigators to collect fingerprint evidence quickly and efficiently at crime scenes or during investigations.		
	Composition:			
		1. Master carrying case 2. Folding fingerprinting station with a single cardholder and glass slab affixed 3. Tube of grade A fingerprint slab ink 4. Roller for applying ink evenly 5. Cleaning solution for slab and roller 6. Fingerprint ridge builder pump spray 7. Ink remover towelettes 8. Criminal fingerprint record cards 9. Re-print tabs 10. Nitrile barrier gloves		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Master Carrying Case:	A sturdy case for transporting and storing the kit.		
	Folding Fingerprinting	A portable workstation with a cardholder and glass		

	Station:	slab for fingerprinting.		
	Grade A Fingerprint Slab Ink:	High-quality ink for fingerprinting.		
	Roller for applying ink evenly:	A roller used for applying fingerprint ink evenly.		
	Cleaning solution for slab and roller:	Cleaner for removing ink residue from the slab and roller.		
	Spray for enhancing 1 bottle per kit fingerprint visibility:	Spray to enhance fingerprint visibility and ridge detail.		
	Ink remover towelettes: 1package per kit	Towelettes for cleaning ink from fingers or surfaces. Required qty: 1000 pcs		
	Criminal fingerprint records:	Cards for recording and preserving fingerprint evidence. Qty: 500 cards/A4 format.		
	Re-Print Tabs:	Tabs used for re-inking fingerprints if necessary - 100 pcs.		
	Nitrile Barrier Gloves: 20 pcs per kit	Gloves to prevent contamination and protect personnel during fingerprinting procedures.		
	Documentation			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		
9.	Relief Kit. Papillation and Fingerprint Removal (amended specifications are marked in red colour below)		kits	9
	Purpose:			
		Designed for papillation and fingerprint removal, serves the purpose of aiding forensic investigators in the delicate process of collecting and preserving fingerprint evidence from surfaces.		
	Composition:			
		1. Fingerprint powder 2. Magnetic Latent Fingerprint Powder 3. Case		
	Accessories:			
		Any other accessory which is required for operation should be included and described in your offered specification.		
	Specifications:			
	Fingerprint powder 2 containers: 1 container of each color per kit. Weight: 100-200 gr.	- Adhesion to papillary ridge secretions. - Non-adhesion to areas adjacent to papillary ridges. - Homogeneous, non-hygroscopic, and non-agglomerating particles. - Black and fluorescent yellow for visibility under UV rays. - Easy removal from surfaces using simple procedures. - Consistency of physico-chemical characteristics in		

		the temperature range of -10°C to +45°C.		
	Magnetic Latent Fingerprint Powder 9 containers: 1 container for each type per kit	Types: - black double contrast - fluorescent orange - fluorescent green and fluorescent red Weight: - 200 gr per container		
	Ostrich/Marabu Brush	Type: - Transparent plastic anti-static sprayer, individually packed. Working length of the brush: - length of at least 80 mm and a thickness at the - thickness at the handle joint of at least 8 mm		
	Squirrel/Camel Hair Brushes Minimum Quantity: 3 pieces per set	Shape: Semi-Round Trim: Untrimmed Length: 14 cm and 19 cm (respectively for the two sizes) Handle Material: Wooden Handle Length: Standard Active Part Length: 30-40 mm Active Part Thickness: At least 8 mm at the joint with the handle Packaging: Individual packaging for each brush set		
	Glass fiber wire brush: Minimum 4 pieces per set	Active Part Length: Minimum 50 mm Active Part Thickness: Minimum 8 mm at the joint with the handle Handle Material: Plastic or Wooden Handle Length: Standard		
	Black anodised aluminum magnetic brush 2 pcs per kit	Equipped with spring rod for demagnetization.		
	Master kit small particle reagent (SPR): 2 containers with pump, 250-500 ml	Description: Set of reagents for revealing latent papillary marks on wet, white and black surfaces.		
	Gelatine Lifters/ Gelatine sheets for the lift of latent papillary mark: min. 10 sheets of each type per kit	Dimensions: 13x18 cm (±2 cm) Type: white, black and transparent Components: <u>Support:</u> <ul style="list-style-type: none"> ● Material: Plastic or paper laminated on both sides ● Properties: Resistant to mechanical stretching, malleable, unaffected by humidity conditions, opaque (for black foil) and transparent (for transparent foil), allows writing without affecting adhesive <u>Adhesive Component:</u>		

		<ul style="list-style-type: none"> ● Homogeneous adhesive substance, uniformly distributed over the entire surface ● Adhesive to powders used to reveal papillary marks and protective film ● Adhesion to support without absorption or diffusion of powders ● Stable physical-chemical characteristics (-10°C to +45°C), black (for black foil) and transparent (for transparent foil) ● Allows gluing, removal, and regluing of protective film <u>without affecting adhesive</u> <p><u>Protective Layer:</u></p> <ul style="list-style-type: none"> ● Material: Transparent plastic foil, malleable, no adhesion to embossing powder ● Easily removable from the adhesive surface. 		
	Instant adhesive sheets for lifting latent papillary mark: min. 10 sheets for each type per kit	Dimensions: 10x15 cm (±2 cm) Type: White, black and transparent.		
	Latent papillary mark lift foil set. transfer film and fixation of traces: min 50 sheets for each type per kit	Dimensions: 5x10 cm (±2 cm) Type: White, black and transparent.		
	Adhesive film with mm and cm measuring unit: 2 pcs, each 20 m of each type per kit.	Type: White, black and transparent. Width: 10 - 14 mm		
	Case:	Metal cover with tight magnetic closure		
	Rubber roller:	Width of the active surface: 5-7 cm Handle: Wood		
	Fingerprint Ink and cleaning solution. 1 container per kit Pad:	Solution/gel for cleaning mascara, 1 container of at least 100 ml;		
	Hemident reagent 1 bottle per kit - Should accommodate for 10 tests			
	Stainless steel scissors			
	Plastic container for brushes and powder:	Durable plastic material to withstand various environmental conditions and dust		
	Flat tweezers:	Material: stainless steel Length: 23-26 cm		
	Sharp tweezers:	Material: stainless steel Length: 8-10 cm		
	Device for cutting glass:			
	Magnifying glass :	Diameter: 75 mm Magnification: not less than 3.5x		
	Metal measuring tape:	Length: 3m		
	Ink cleaning solution:1	Volume: 250 ml or bigger		

	bottle per kit			
	Flashlight with clamp:	Illumination: <ul style="list-style-type: none"> - High-intensity light source, providing bright illumination for various applications - Equipped with efficient LED bulbs Clamp Mechanism: <ul style="list-style-type: none"> - The flashlight incorporates a sturdy clamp mechanism for secure attachment to surfaces or objects. - The clamp is designed to provide firm grip and stability, allowing for hands-free operation in diverse environments. - Adjustable clamp size to accommodate a wide range of objects, such as poles, handles, or surfaces of varying thickness. Power Source: <ul style="list-style-type: none"> - Powered by rechargeable batteries. - Offers convenient charging options, such as USB charging ports or docking stations, for hassle-free recharging. 		
	Transparent lifting tape:	Minimum length: 15 m Width: 5-9 cm		
	Transparent lifting tape:	Minimum length: 15 m Width: 3-5 cm		
	Ninhydrin Spray: 1 bottle	Volume: 100 ml or more		
	Rhodamine Crystals 6G	Container Type: Glass container with threaded cap Capacity: 25 grams		
	Gentian Violet Crystals:	Container Type: Glass container with threaded lid Capacity: 25 grams		
	1,8-Diazafluoren-9- one bottle per kit	Type: solution Container Type: Glass or plastic container with screw cap Capacity: 120 milliliters		
	Portable lamp with UV rays:	Power Output: Minimum equivalent power of 6 watts. Wavelength: Emitting UV light with a wavelength of 365 nanometers (nm), suitable for specific fluorescence excitation.		

		<p>Dimensions: Approximately 7-10 cm in width, 30-35 cm in height, and 5-8 cm in depth, providing a compact and portable form factor for easy handling and transportation.</p> <p>Handle: Equipped with a handle for comfortable grip and convenient carrying during use.</p> <p>Power Supply: Operates on either 220 volts AC power supply or battery power.</p> <p>Battery: Includes a rechargeable battery for portable operation.</p> <p>Charger: equipped.</p>		
	Documentation:			
		User manuals for the kit (if applicable), preferable in Romanian language (optional English or Russian).		

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods no later than 45 calendar days after Contract signature.
Delivery Terms (INCOTERMS 2020)	DDP Chisinau, Republic of Moldova
Customs clearance (must be linked to INCOTERM)	<input checked="" type="checkbox"/> Supplier/bidder UNDP shall provide a Tax Exemption letter for Customs clearance
Exact Address(es) of Delivery Location(s)	Chisinau municipality, Republic of Moldova, "Stefan cel Mare Academy", Address No. 21 Gh. Asachi Street
Packing Requirements	Factory packaging
Training on Operations and Maintenance	Not required The supplier shall provide: User manuals for each kit (if applicable), preferable in Romanian language (optional English or Russian).
Warranty Period	Minimum 12 months per kit including each item included in its composition, validity of consumables not smaller than 12 months.
After-sales service and local service support requirements	Replacement of goods with defects or which do not correspond to the required quality with new goods of similar or better quality within acceptable market delivery standards, however not later than 2 (two) months since official request. Existence of Service centre in Moldova is required (not compulsory to be authorised)