

REQUEST FOR QUOTATION NO. RfQ-24/02885

Support Police Capacity Building in the Field of Public Order and Cybercrime in Moldova

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP through the "Support Police Capacity Building in the Field of Public Order and Cybercrime in Moldova" Project kindly requests your quotation for the Provision of special measuring devices (breathalyzers, laser distance measures and license plate readers) for GPI, as detailed in line items section of this Request for Quotation no. RfQ-24/02885 "Provision of special measuring devices (breathalyzers, laser distance measures and license plate readers) for GPI.

This Request for Quotation comprises the following documents:

- Section 1: This RFQ document generated by the online system
- Section 2: RFQ Instructions and Data
- Annex 1: Schedule of Requirements
- Annex 2: Quotation Submission Form
- Annex 3: Technical and Financial Offer
- Annex 4: Technical Responsiveness Table

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted directly in the system responding to the questions and uploading required documents by the date and time indicated in the online portal. It is your responsibility to ensure that your quotation is submitted before the deadline. Quotations received after the submission deadline outside the online portal, for whatever reason, will not be considered for evaluation.

Quotations must be submitted directly in Quantum NextGenERP supplier portal following the link: <u>http://supplier.quantum.partneragencies.org</u> using the profile you may have in the portal (please log in using your username and password).

Follow the instructions in the user guide to search for the tender using search filters, namely **Negotiation ID: UNDP-MDA-00532** and subscribe to the tender in order to get notifications in case of amendments of the tender document and requirements.

In case you have never registered before, follow this link to register a profile: <u>https://estm.fa.em2.oraclecloud.com/fscmUI/faces/PrcPosRegisterSupplier?prcBuId=300000127714247</u>

Please note that the access link to the Supplier registered profile is sent from Oracle within up to 3 days. In case you have not received the access link after 3 days since registration, you should address for support to UNDP at the email address: <u>sc.md@undp.org</u>. In case you encounter errors with registration (e.g. system states Supplier already is registered), you should address for support to UNDP at the email address: <u>sc.md@undp.org</u>.

Computer firewall could block *oracle* or *undp.org extension* and Suppliers might not receive the Oracle notifications. Please turn down any firewalls on your computers to ensure receipt of email notification.

Do not create a new profile if you already have one. Use the forgotten password feature in case you do not remember the password or the username from previous registration.

Should you require further clarifications on the application through the Quantum online portal, kindly contact the Procurement Unit at <u>sc.md@undp.org</u>. Please pay attention that the bid shall be submitted online through the Quantum system and any bid sent to the above email shall be disqualified.

Should you require further clarifications on the Request for Quotation, Terms of Reference or other requirements, kindly communicate using the messaging functionality in the portal.

Deadline for Submission of Offers (Date and Time), which is visible in the online procurement system will be final. System will not accept submission of any bid after that date and time. It is the responsibility of the bidder to make sure that the bid is submitted prior to this deadline for submission.

Bidders are advised to upload bid documents and to submit their offer a day prior or well before the date and time indicated under the deadline for submission of Offers. Do not wait until last minute. If Bidder faces any issue during submitting offers at the last minutes prior to the deadline for submission, UNDP may not be able to assist on such a short notice and will not be held liable in such instance. UNDP will not accept any offer that is not submitted directly through the System.

Thank you and we look forward to receiving your quotation.

UNDP Moldova



SECTION 2: GENERAL INSTRUCTIONS

Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing
by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and Procedures (POPP) on Contracts and Procurement
Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.
UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or cancellation of the tender in the online portal.
Deadline is indicated in the online portal. If any doubt exists as to the time zone in which the quotation should be submitted, refer to <u>http://www.timeanddate.com/worldclock/.</u>
Quotations must be submitted as follows:
NextGenERP supplier portal following this link: <u>http://supplier.nextgenerp.partneragencies.org/</u> using the profile you may have in the portal.
Follow the instructions in the user guide to search for the tender using Negotiation ID. In case you have never registered before, follow this link to register a profile:
https://estm.fa.em2.oraclecloud.com/fscmUI/faces/PrcPosRegisterSupplier?prcBuId=30000012771529 7&_adf.ctrl- state=8godmwdd9 239& afrLoop=7321111756612874& afrWindowMode=0& afrWindowId=null& af rFS=16& afrMT=screen& afrMFW=1920& afrMFH=880& afrMFDW=1920& afrMFDH=1080& afrMFC =8&_afrMFCI=0&_afrMFM=0&_afrMFR=96&_afrMFG=0&_afrMFS=0&_afrMFO=0
Do not create a new profile if you already have one. Use the forgotten password feature in case you do not remember the password or the username from previous registration.
 File Format: All attachments must be in PDF format unless otherwise instructed by UNDP.
 File names must be in Latin alphabet/keyboard and clearly indicate the content of the document to facilitated review. All files must be free of viruses and not corrupted.
UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct
Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_and investigation.html#anti

Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.	
Conflict of Interest	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.	
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.	
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.	
Currency of	Quotations shall be quoted in the currency indicated in the portal.	
Quotation	MDL (Moldovan Leu) for local suppliers	
	and	
	USD (US Dollars) for international suppliers.	
	For evaluation purposes, bids submitted in any other currencies shall be recalculated at UN Operational Rate of Exchange on the submission deadline:	
	https//treasury.un.org/operationalrates/OperationalRates.php	
	UNDP shall not be kept liable for any fluctuations of the exchange market during contract implementation, the Contractor being legally responsible to register any loss/gain of currency exchange resulting from payments against the Contract in accordance with the national legislation.	
Joint Venture,	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium	
Consortium or Association	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or	
	Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint	
	Ventures, Consortium or Association.	

Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:
	a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or
	c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process.
	d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Alternative Quotes	If alternative quote is permitted, it may be submitted only if a conforming quote to the RFQ requirements is submitted. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and "Alternative Quote" directly in the portal and in any supporting document as relevant.
Contact	Must be submitted directly in the portal using the messaging functionality.
Person for	
corresponden	Any delay in UNDP's response shall be not used as a reason for extending the deadline for
ce,	submission, unless UNDP determines that such an extension is necessary and communicates a new
notifications	deadline to the Proposers.
and	
clarifications	
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or
requirement	decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of
at time of award	the total offer, without any change in the unit price or other terms and conditions.
Publication of	UNDP will publish the contract awards on the websites of the CO and the corporate UNDP Web site.
Contract Award	
Policies and procedures	This RFQ is conducted in accordance with <u>UNDP Programme and Operations Policies and Procedures</u>
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at <u>www.ungm.org</u> . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.



SECTION 2: SPECIAL INSTRUCTIONS

General	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to one of		
Conditions of	the General Conditions of Contract below as applicable in each case specified in the Requirements		
Contract	section		
	Applicable GTC:		
	General Terms and Conditions / Special Conditions for Contract.		
	Applicable Terms and Conditions and other provisions are available at		
	https://www.undp.org/procurement/business/how-we-buy		
Special	☐ Cancellation of PO/Contract if the delivery/completion is delayed by 30 calendar days		
Conditions of	☐ Liquidates damages shall be imposed as follows:		
Contract	0.3% of contract price per day of delay, up to a maximum of 30 calendar days, after which UNDP may		
	terminate the contract.		
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the		
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations,		
	is exempt from all direct taxes, except charges for public utility services, and is exempt from customs		
	restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its		
	official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties,		
	unless otherwise specified in the requirements section.		
	All prices must:		
	oxtimes be exclusive of VAT and other applicable indirect taxes		
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as		
	ineligible by any UN Organization or the World Bank Group or any other international Organization.		
	Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or		
	temporary suspension imposed by these organizations. Failure to do so may result in termination of		
	any contract or PO subsequently issued to the vendor by UNDP.		
	It is the Bidder's responsibility to onsure that its ultimate heneficial eveness, employees, joint venture		
	It is the Bidder's responsibility to ensure that its ultimate beneficial owners, employees, joint venture		
	members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility		
	requirements as established by UNDP.		
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the		
	country, or through an authorized representative.		
Language of	English or Romanian		
quotation	Including supporting documentation as applicable.		
	Including supporting documentation as applicable.		
Quotation	Quotations shall remain valid for <u>90 (ninety) calendar</u> days from the deadline for the Submission of		
validity period	Quotations shall remain valid for <u>50 (milety) calendar</u> days from the deadline for the submission of Quotation.		
Partial Quotes	⊠ Allowed per LOT		
Faitial Quotes			
A 4			
Alternative	⊠ Not permitted		
Quotes			
Payment 	☑ 100% within 30 days after receipt of goods and submission of payment documentation.		
Terms			
Conditions for	Descing Inspection and testing		
Conditions for Release of	Passing Inspection and testing		
	☑ Written Acceptance of Goods, based on full compliance with RFQ requirements		
Payment			
Clarifications	Bidders must send their inquiries and requests for clarifications using the messaging functionality in		
	the portal.		
	PLEASE PAY ATTENTION: QUOTES SHALL NOT BE SUBMITTED TO ANY EMAIL ADDRESS BUT ONLY		
	THROUGH THE PORTAL.		
	Requests for clarification from bidders will not be accepted any later than 3 (three) days before the		
	submission deadline. Responses to request for clarification will be communicated directly in the portal .		

Documents to be submitted	 ☑ Annex 2 Quotation Submission Form duly completed and signed ☑ Annex 3 Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements Annex 1, detailing product description / brochures, price quotation per item, additional costs and subtotal per LOT. ☑ Annex 4 Technical Responsiveness Table duly completed and signed ☑ Company Profile (short info up to 3 pages), including portfolio/previous corporate experience in similar fields related to the assignment ☑ Copy of Company's Registration certificate/articles of incorporation; ☑ List and value of minimum 2 (two) similar contracts for the provision of similar goods ongoing or implemented over the last 3 (three) years, concluded with International Organizations or National Governments / Law enforcement bodies (copies of the contracts/purchase orders with specification of goods to be provided): Name of previous contracts Client & Reference contact details, including active e-mail Contract Value Period of activity / Delivery period Types of goods delivered Øfficial Letter of Appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country ☑ Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer); ☑ Valid quality Certificate(s) (e.g. ISO 9001, etc., or other quality certification related to scope of the assignment) (if applicable); ☑ Valid metrological certificate for relevant item; ☑ Detailed description of the offered goods, including design and Technical Data Sheet (including photos, leaflets and other available materials); ☑ Delivery schedule, including delivery time and production time ; ☑ Statements or Certificates / Declaration of origin for the offered goods, materials and accessories (where
	☑ Name and address of the authorized service centre in Moldova for warranty/ guarantee repair, maintenance services, including contract/ agreement;
Evaluation	The Contract will be awarded to the lowest price substantially compliant offer
method	
Evaluation criteria Type of	 Full compliance with all requirements as specified in Annex 1 Full acceptance of the General Conditions of Contract Be a legally registered entity or a consortium of firms/organizations Minimum 3 (three) years of experience in delivering similar goods as per the relevant Lot Minimum 2 (two) similar value contracts for the provision and supply of special measuring devices ongoing or implemented over the last 3 (three) years, concluded with International Organizations or National Governments / Law enforcement bodies (copies of the contracts/purchase orders with specification of goods to be provided), per Lot Maximum delivery period not to exceed 60 calendar days upon signature of PO/Contract, per Lot Marranty for a minimum period of 24 months on parts and labor, per Lot Statement of Satisfactory Performance from the Top 2 Clients in terms of Contract Value for the past three (3) years, per Lot Contract Face Sheet (Goods and-or Services)
Contract to be awarded	ය <u>contract Face Sneet</u> (Goods and or Services)

Expected date for contract award.	09 September 2024

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods:

	L – BREATH ALCOHOL SCREENING DEVICE	Quantity
	GENERIC SPECIFICATIONS	Quantity
	ENING DEVICE (similar to Drager Alcotest 5000 or equivalent)	25 pcs
Measuring range	0 to 0.029 mg/l - No Alcohol Detected / Green indicator.	
	> 0.030 mg/l - Alcohol Detected / Red	
Chan de ad es es alte a	> 2.5 mg/l – Error / Range exceeded	
Standard sampling	Sampling starts automatically when the minimum volume or predefined	
	blowing time is reached.	
	Sampling can be triggered manually while the test subject blows into the	
	funnel.	
	Passive sampling can be done with or without a funnel	
Start-up time	Ready to be used in maximum 5 seconds	
Display of test results	Maximum 6 seconds	
Display	LCD display with backlight or LED	
	LED indicators to support the results (Red / Green)	
Acoustic signals	Various signal tones for supporting display and warning messages	
Memory	Minimum 400 results should be stored with date / time metadata	
Energy supply	Standard or rechargeable batteries	
Breath device	Hygienic funnel, individually packaged with air outlets for minimizing back-	
	flow of expired air	
Calibration	Possibility to calibrate the device	
Exterior	Plastic / ABS / PC, impact proof	_
Dimensions	Up to 70x250x50mm, up to 300g	_
Vibration and impact	EN 60068-2-27, EN 60068-2-6; EN 60068-2-64	_
resistance		
Service interval	Minimum 24 months	-
Operating temperature	-10 °C to +40 °C	_
Soft bag accessory	Included	_
Alco test funnels accessories	Minimum 50	
Warranty	Minimum 12 months	_
Calibration certificate		_
	Minimum for 182 days	_
Metrological certificate	Minimum for 12 months	25
	WITH MOUTH PIECES (similar to Drager Alcotest 6820 or equivalent)	25 pcs
Measuring range	0 to 2.5 mg/l – Display indication on screen	
	> 2.5 mg/l – Error / Range exceeded	
Standard sampling	Sampling starts automatically when the minimum volume is reached.	
	Passive sampling or manual triggering of sampling possible	_
Start-up time	Ready to be used in maximum 5 seconds	_
Display of test results	Maximum 10 seconds	
Display	LCD display with backlight or LED	
	LED indicators to support the results (Red / Green)	_
Acoustic signals	Various signal tones for supporting display and warning messages	_
Memory	Minimum 1000 results should be stored with date / time metadata	_
Energy supply	Rechargeable batteries	
Breath device	Hygienic slide and click mouth pieces	
Calibration	Possibility to calibrate the device, Certificate included	
Exterior	Plastic / ABS / PC, impact proof	
Dimensions	Up to 70x200x50mm, up to 300g	
Data interfaces	USB to PC; optical interface for printer control	
Vibration and impact	EN 60068-2-27, EN 60068-2-6; EN 60068-2-64	-
resistance	,	
Service interval	Minimum 24 months	
Operating temperature	-10 °C to +40 °C	
System case accessory	Included	-
Mobile printer	Included	-
Paper rolls for the printer	Included minimum 5	
Mouthpieces	Included, minimum 1000	_
Charger	Included	_
USB cable	Included	_
Warranty	Minimum 12 month	
Calibration certificate	Minimum for 182 days	

	LOT 2 – LAS	SER DISTANCE MEASURER DEVICE	
tem		GENERIC SPECIFICATIONS	Quantit
	LASER DISTANCE MEASURER DEVICE		40 pcs
	Range for favorable conditions	0.08 – 100.00 m	
	Measurement accuracy	± 1.5 mm	_
	Measurement time	<1s	_
	Laser class	2	
	Laser diode	635 / 650 nm, < 1 mW	_
	Dust and splash protection class	IP 54	_
	Power supply	Standard or rechargeable batteries	
	Automatic deactivation	Yes	_
	Units of measurement	m/cm/mm	_
	Memory capacity	Minimum last 20 values	_
	Data transfer	Bluetooth™ 4.2 Low Energy or better	_
	Soft bag accessory	Included	_
	Glasses accessory	Included, if available	
	Reflective plate	Included, if available	
	Operating temperature	-10 °C to +40 °C	
	Warranty	Minimum 12 months	
	LOT 3 – AUTOMA	TED LICENSED PLATE READERS SYSTEMS	
m		GENERIC SPECIFICATIONS	Quantit
	NETWORK SURVEILLANCE CAMERA		4 pcs
	Image sensor	Progressive Scan CMOS	
	Image sensor resolution	Minimum 4Mpix	
	Min. Illumination	Color: 0.001 Lux, IR: 0 Lux	
	Shutter Speed	1/50 s to 1/100,000 s	
	Day & Night	Minimum IR Cut and HLC filters	_
	Focus		
		Auto, Manual, Adjustable	_
	IR .	Yes, Minimum 50m, Wavelength 850nm	
	Video Compression	Main stream: H.265/H.264 Sub-stream: H.265/H.264/MJPEG	_
	Video Bit Rate	500kbps to 8Mbps	
	Frames per second	Minimum 50fps @ 2Mpix, 25fps @ 4Mpix	
	Security features	HTTPS web-access	
		Minimum 8 users with password protection	
		2 security levels: Administrator, Operator	
		Security audit journal	
	Time sync	NTP client	
	API access	ONVIF, ISAPI (REST/XML/JSON)	
	Storage	128GB microSD / microSDHC included	
		Storage encryption and health status detection	
	Connectivity	Ethernet, 10/100/1000Base-T	
	Smart functions	Identification of the registration plate number	
		Identification of vehicle mark and color	
	Ingress Protection	IP66, IK10	
	0	TVS 2000V lightning protection, surge protection and voltage	
		transient protection	
	Operating temperature	-20 °C to +50 °C	
	Metrological certificate	Minimum for 12 months	
	MANAGEMENT SOFTWARE		4 pcs
	Users	Minimum 60 users	4 pcs
	Video surveillance		_
	video surveinance	Live video streaming and archive browsing Events will be shown together with metadata (vehicle registration	
	Coorob functions	numbers, type, colors)	-
	Search functions	Events filtering based on metadata (registration number – full and	1
		partial, type, color)	_
	Status reporting	Detection of camera status (active / offline / errors)	_
	Logging	Audit logging journal	_
	Security	Users with password protection	
		2 security levels: Administrator, Operator	
	High level software requirements	Possibility to be installed on virtual machines (MCloud)	
		Integration into - Sistemul automatizat de supraveghere a circulației	
		rutiere "Controlul traficului".	
		In case of impossibility of integration into the SASCR "Controlul	

-			
		and the beneficiary's system, to have provided you with a web	
		service (Web api Json with swagger description) which will include at	
		least the following methods and datasets:	
		<i>Device</i> GET/api/device/list List of existing devices (will not include certificate	
		details)	
		GET/api/device/details Device details	
		POST/api/device/add Add device	
		POST/api/device/update Update device	
		POST/api/device/certificate/update Update device	
		POST/api/device/certificate/add Add new device certificate	
		Post/ap/device/certificate/add Add fiew device certificate	
		POST/api/passings/add Add passing	
		POST/api/passings/add/mage Add passing	
		Schemas	
		DeviceCertificateModel	
		DeviceModel	
		CreateDeviceRequestModel	
		UpdateDeviceRequestModel	
		AddVehiclePassingRequestModel	
		AddVehiclePassingImageRequestModel	
	Licenses	Unlimited licenses, included for the equipment part of this LOT.	1
	Support and warranty	Minimum 24 months	1
2.	ETHERNET ROUTER		4 pcs
	CPU	Minimum 2 cores @ 800Mhz	
	RAM	Minimum 256MB	
	Connectivity	Ethernet	
		Minimum 5 ports @ 10/100/1000Base-T	
		Minimum 1 port @ 1000Base-X (SFP)	
	Power supply	PoE support, with included PoE Injector / Rectifier	
	Features	Dynamic routing (OSPF / BGP)	
		VPN (PPTP, IPSEC, OpenVPN)	
	Operating temperature	-10 °C to +40 °C	
	Warranty	Minimum 24 months	
3.	POE SWITCH		4 pcs
	Connectivity	Ethernet	
		Minimum 2 ports @ 10/100Base-T 30W PoE	
		Minimum 1 port @ 10/100Base-T 60W PoE	
		Minimum 1 port @ 10/100/1000Base-T used for Uplink	-
	PoE standard	IEEE 802.3af, IEEE 802.3at	
	Power supply	Included rectifier, 12/48V	
	Features	Spanning tree (802.1D, 802.1W)	
		VLANS	-
	Operating temperature	-10 °C to +40 °C	
<u> </u>	Warranty	Minimum 24 months	-
4.			4 pcs
	Power supply	Minimum 600W / 1000VA	4
	Battery capacity	Minimum 12V 7Ah	
	Input voltage	190-250V	4
	Surge protection	Yes	
	Restore power after shutdown	Yes	
	Operating temperature	-10 °C to +40 °C	
L	Warranty	Minimum 24 months	
5.	METAL MOUNTING CASE / RACK		4 pcs
	Dimensions	Maximum 600mm x 450mm x 500mm	
	Mounting rails	19″ / 9U	
	Maximum accepted weight	80kg	
	Ingress Protection	IP66	4
	Туре	Pole mounting rack with metal door and security lock, enhanced	
		protection for doors and access cables	

Delivery Requirements		
Delivery date and time	Bidder shall deliver the goods under LOT 1 - 3 no later than 60 calendar days after Contract signature.	
Delivery Terms (INCOTERMS 2020)	DDP Chisinau, Republic of Moldova	
Customs clearance (must be linked to INCOTERM)	Supplier/bidder UNDP shall provide a Tax Exemption letter for Customs clearance	
Exact Address(es) of Delivery Location(s)	Chisinau municipality, Republic of Moldova, The General Police Inspectorate, Address No. MD-2001, mun.Chişinău, str. Tiraspol, nr. 11/1	
Packing Requirements Factory packaging		
Warranty Period	Minimum 24 months	
After-sales service and local service support requirements	Replacement of goods with defects or which do not correspond to the required quality with new goods of similar or better quality within acceptable market delivery standards, however not later than 4 (four) months since official request. Name and address of the authorized service centre in Moldova for warranty/ guarantee repair, maintenance services, including contract/ agreement;	

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RfQ-24/02885 "Provision of special measuring devices (breathalyzers, laser distance measures and license plate readers) for GPI".	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail	
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.	
Legal Address, City, Country	Click or tap here to enter text.	
Website	Click or tap here to enter text.	
Year of Registration	Click or tap here to enter text.	
Legal structure	Choose an item.	
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number	
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (<i>If</i> <i>yes, provide a Copy of the valid</i> <i>Certificate</i>):	□ Yes □ No	
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	□ Yes □ No	
Does your Company have a written Statement of its Environmental Policy? (<i>If yes,</i> <i>provide a Copy</i>)	□ Yes □ No	
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable	□ Yes □ No	

energies or membership institutions promoting su issues (<i>If yes, provide a C</i>						
Is your company a membreak the UN Global Compact	🗆 Yes 🗆 No					
Bank Information		Bank Name: O	lick or tap here t	o enter text.		
		Bank Address	Click or tap here	to enter text.		
		IBAN: Click or	tap here to ente	r text.		
		SWIFT/BIC: CI	ick or tap here to	enter text.		
		Account Currency: Click or tap here to enter text.				
		Bank Account Number: Click or tap here to enter text.				
				perience:		
Minimum 2 (two) simi				d supply of special m nree) years, per Lot	easuring devices ongoing or	
Name of previous	Client	& Reference	Contract	Period of activity	Types of activities	
contracts	Conta	act Details	Value (please	(month/ year)	undertaken	
inclu		ling e-mail	indicate			
			currency)			

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics In submitting this Quote I/we warrant that the bidder has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct <u>https//www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organization's Point of Contact.
		Prohibitions, Sanctions I/We hereby declare that our firm, ultimate beneficial owners, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.

	Bankruptcy I/We have not declared bankruptcy, are not involved in bankruptcy or receivership
	proceedings, and there is no judgment or pending legal action against them that could impair their
	operations in the foreseeable future.

Yes	No	
		Offer Validity Period I/We confirm that this Quote, including the price, remains open for acceptance
		for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature:

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	RfQ-24/02885 "Provision of special measuring devices (breathalyzers, laser distance measures and license plate readers) for GPI".	Date: Click or tap to enter a date.	

Bidders must include all costs related to the performance of the services in their quotation price (delivery of all goods and equipment, transport costs, unloading at the delivery site, installation etc.)

Bidders shall fill up the financial offer table for the LOT they are applying to.

LOT#1 BREATH ALCOHOL SCREENING DEVICE

Currency of the Quotation USD US Dollars for international vendors or MDL Moldovan Leu for local (VAT exclusive) INCOTERMS DDP Chisinau

ltem No	Description	UOM	Qty	Unit price Please insert currency	Transportation, Insurance, and other Costs Please insert currency	Total price Please insert currency
1.	Funnel type alcohol screening device (similar or equivalent to Drager Alcotest 5000)	pcs	25			
2.	Alcohol screening device with mouth pieces (similar or equivalent to Drager Alcotest 7000)	pcs	25			
	Total Final and All-inclusive Price					

LOT #2 LASER DISTANCE MEASURER DEVICE

	Currency of the Quotation USD US Dollars for international vendors or MDL Moldovan Leu for local vendors (VAT exclusive) INCOTERMS DDP Chisinau					
ltem No	Description	UOM	Qty	Unit price Please insert currency	Transportation, Insurance, and other Costs Please insert currency	Total price Please insert currency
1.	Laser distance measurer device	pcs	40			
	Total Final and All-inclusive Price					

LOT #3 AUTOMATED LICENSED PLATE READERS SYSTEMS

-	Currency of the Quotation USD US Dollars for international vendors or MDL Moldovan Leu for local vendors (VAT exclusive) INCOTERMS DDP Chisinau					
ltem No	Description	UOM	Qty	Unit price Please insert currency	Transportation, Insurance, and other Costs Please insert currency	Total price Please insert currency
1.	Network surveillance camera	pcs	4			
1.2	Management software	pcs	4			

2.	Ethernet router	pcs	4			
3.	Poe switch	pcs	4			
4.	Uninterruptible power supply	pcs	4			
5.	Metal mounting case / rack	pcs	4			
	Total Final and All-inclusive Price					

Compliance with Requirements

	You Responses				
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer		
Minimum Technical Specifications (as per details mentioned in Annex 1: schedule of requirements and Annex 4: Technical responsiveness table			Click or tap here to enter text.		
Delivery Term (INCOTERMS): DDP			Click or tap here to enter text.		
Delivery Lead Time: up to 60 calendar days			Click or tap here to enter text.		
Warranty: 24 months			Click or tap here to enter text.		
Validity of Quotation: 90 calendar days			Click or tap here to enter text.		
Payment terms			Click or tap here to enter text.		

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

Exact name and address of company	Authorized Signature:		
Company Name: Click or tap here to enter			
text. Address: Click or tap here to enter text.	Date: Click or tap here to enter text.		
Phone No.: Click or tap here to enter text.	Name: Click or tap here to enter text.		
Email Address: Click or tap here to enter text.	Functional Title of Authorized Signatory: Click or tap here to enter text.		
	Email Address: Click or tap here to enter text.		

ANNEX 4 TECHNICAL RESPONSIVENESS TABLE

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2 Quotation Submission Form and Annex 3 Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder	Click or tap here to enter text.		
RFQ reference	RfQ-24/02885 "Provision of special measuring devices (breathalyzers, laser distance measures and license plate readers) for GPI".	Date Click or tap to enter a date.	

Bidders shall supplement the information provided in the tables below with detailed description of the offered goods, including Product Data Sheet.

	Тес	hnical requirements	Conformity (Yes/No)	Offered Brand, Model and Exact characteristics (Technical characteristics should be less/worse than those listed in Annex 1: Schedule of Requirements) Brand/model (please indicate)
		LOT 1 – BREATH ALCOHOL SCREENIN	IG DEVICE	
1.	FUNNEL TYPE ALCO	HOL SCREENING DEVICE (similar or equivalent to Drager Alcotest 5000)		
	Measuring range	0 to 0.029 mg/l - No Alcohol Detected / Green indicator. > 0.030 mg/l - Alcohol Detected / Red > 2.5 mg/l – Error / Range exceeded		
	Standard sampling	Sampling starts automatically when the minimum volume or predefined blowing time is reached. Sampling can be triggered manually while the test subject blows into the funnel. Passive sampling can be done with or without a funnel		
	Start-up time	Ready to be used in maximum 5 seconds		
	Display of test results	Maximum 6 seconds		
	Display	LCD display with backlight or LED LED indicators to support the results (Red / Green)		
	Acoustic signals	Various signal tones for supporting display and warning messages		
	Memory	Minimum 400 results should be stored with date / time metadata		
	Energy supply	Standard or rechargeable batteries		
	Breath device	Hygienic funnel, individually packaged with air outlets for minimizing back-flow of expired air		
	Calibration	Possibility to calibrate the device		
	Exterior	Plastic / ABS / PC, impact proof		
	Dimensions	Up to 70x250x50mm, up to 300g		
	Vibration and impact resistance	EN 60068-2-27, EN 60068-2-6; EN 60068-2-64		
	Service interval	Minimum 24 months		
	Operating temperature	-10 °C to +40 °C		

	Coft has accoss and	Include	4				
	Soft bag accessory	Include					
	Alco test funnels	Minim	Jm 50				
	accessories		12				
	Warranty		um 12 months				
	Calibration	Minim	um for 182 days				
	certificate						
	Metrological	Minim	um for 12 months				
	certificate						
2.			E WITH MOUTH PIECES (similar or				
	equivalent to Drage						
	Measuring range		5 mg/l – Display indication on screen				
			ng/I – Error / Range exceeded				
	Standard sampling	-	ng starts automatically when the				
			um volume is reached.				
			sampling or manual triggering of				
		-	ng possible				
	Start-up time	· · ·	to be used in maximum 5 seconds				
	Display of test	Maximum 10 seconds					
	results						
	Display		play with backlight or LED				
			licators to support the results (Red /				
		Green)					
	Acoustic signals		s signal tones for supporting display and				
			g messages				
	Memory		um 1000 results should be stored with				
		-	ime metadata				
	Energy supply		geable batteries				
	Breath device		ic slide and click mouth pieces				
	Calibration		lity to calibrate the device, Certificate				
		include					
	Exterior		/ ABS / PC, impact proof				
	Dimensions		0x200x50mm, up to 300g				
	Data interfaces		PC; optical interface for printer control				
	Vibration and		EN 60068-2-27, EN 60068-2-6; EN 60068-2-64				
	impact resistance	ce					
	Service interval		um 24 months				
	Operating	-10 °C 1	:o +40 °C				
	temperature						
	System case	Included					
	accessory						
	Mobile printer	Include	d				
	Paper rolls for the	Included minimum 5					
	printer						
	Mouthpieces		ed, minimum 1000				
	Charger	Include					
	USB cable	Include					
	Warranty	Minim	um 12 month				
	Calibration	Minim	um for 182 days				
	certificate						
	Metrological	Minim	um for 12 months				
	certificate						
LOT 2 – LASER DISTANCE MEASURER DEVICE							
1.	LASER DISTANCE M	EASURER	DEVICE				
	Range for favorable		0.08 – 100.00 m				
	conditions						
	Measurement accur	асу	± 1.5 mm				
	Measurement time		< 1 s				
	Laser class		2				
	Laser diode		635 / 650 nm, < 1 mW				
	Dust and splash protection		IP 54				

	class			
	Power supply	Standard or rechargeable batteries		
	Automatic deactivation	Yes		
	Units of measurement	m/cm/mm		
	Memory capacity	Minimum last 20 values		
	Data transfer	Bluetooth [™] 4.2 Low Energy or better		
	Soft bag accessory	Included		
	Glasses accessory	Included, if available		
	Reflective plate	Included, if available		
	Operating temperature	-10 °C to +40 °C		
	Metrological certificate	Minimum for 12 months		
	Warranty	Minimum 12 months LOT 3 – AUTOMATED LICENSED PLATE REA		
1.	NETWORK SURVEILLANCE		DERS STSTEIVI	3
1.	Image sensor	Progressive Scan CMOS		
	Image sensor resolution	Minimum 4Mpix		
	Min. Illumination	Color: 0.001 Lux, IR: 0 Lux		
	Shutter Speed	1/50 s to 1/100,000 s		
	Day & Night	Minimum IR Cut and HLC filters		
	Focus	Auto, Manual, Adjustable		
	IR	Yes, Minimum 50m, Wavelength		
	Video Compression	850nm		
	Video Compression	Main stream: H.265/H.264 Sub-stream:		
		H.265/H.264/MJPEG		
	Video Bit Rate	500kbps to 8Mbps		
	Frames per second	Minimum 50fps @ 2Mpix, 25fps @ 4Mpix		
	Security features	HTTPS web-access		
		Minimum 8 users with password		
		protection		
		2 security levels: Administrator,		
		Operator		
		Security audit journal		
	Time sync	NTP client		
	API access	ONVIF, ISAPI (REST/XML/JSON)		
	Storage	128GB microSD / microSDHC included		
		Storage encryption and health status		
		detection		
	Connectivity	Ethernet, 10/100/1000Base-T		
	Smart functions	Identification of the registration plate		
		number		
		Identification of vehicle mark and color		
	Ingress Protection	IP66, IK10		
		TVS 2000V lightning protection, surge		
		protection and voltage transient		
		protection		
	Operating temperature	-20 °C to +50 °C		
	Metrological certificate	Minimum for 12 months		
	MANAGEMENT SOFTWAR			
	Users	Minimum 60 users		
	Video surveillance	Live video streaming and archive		
		browsing		
		Events will be shown together with		
		metadata (vehicle registration		
	Course for the	numbers, type, colors)		
	Search functions	Events filtering based on metadata		
		(registration number – full and partial,		
	Chaburg ages and in a	type, color)		
	Status reporting	Detection of camera status (active /		
		offline / errors)		

	Logging	Audit logging journal		
	Security	Users with password protection		
		2 security levels: Administrator,		
		Operator		
	High level software	Possibility to be installed on virtual		
	requirements	machines (MCloud)		
		Integration into - Sistemul automatizat		
		de supraveghere a circulației rutiere		
		"Controlul traficului".		
		In case of impossibility of integration		
		into the SASCR "Controlul traficului", to		
		ensure data transmission between the		
		offered system and the beneficiary's		
		system, to have provided you with a		
		web service (Web api Json with		
		swagger description) which will include		
		at least the following methods and		
		datasets:		
		Device		
		GET/api/device/list List of existing		
		devices (will not include certificate		
		details)		
		GET/api/device/details Device details		
		POST/api/device/add Add device		
		POST/api/device/update Update		
		device		
		POST/api/device/certificate/update		
		Update device certificate		
		POST/api/device/certificate/add Add		
		new device certificate		
		Passings		
		POST/api/passings/add Add passing		
		POST/api/passings/addImage Add		
		passing		
		Schemas		
		DeviceCertificateModel		
		DeviceModel		
		CreateDeviceRequestModel		
		UpdateDeviceRequestModel		
		AddVehiclePassingRequestModel		
		AddVehiclePassingImageRequestModel		
	Licenses	Unlimited licenses, included for the		
		equipment part of this LOT.		
	Support and warranty	Minimum 24 months		
2.	ETHERNET ROUTER			
	CPU	Minimum 2 cores @ 800Mhz		
	RAM	Minimum 256MB		
	Connectivity	Ethernet		
	,	Minimum 5 ports @ 10/100/1000Base-		
		Т		
		Minimum 1 port @ 1000Base-X (SFP)		
	Power supply	PoE support, with included PoE		
	2010.7	Injector / Rectifier		
	Features	Dynamic routing (OSPF / BGP)		
		VPN (PPTP, IPSEC, OpenVPN)		
	Operating temperature	-10 °C to +40 °C		
	Warranty	Minimum 24 months		
3.	POE SWITCH	Minimum 24 III011015		
э.		Ethorpot		
	Connectivity	Ethernet		
		Minimum 2 ports @ 10/100Base-T 30W PoE		
	1	JUWFUL		

		Minimum 1 port @ 10/100Base-T 60W		
		PoE		
		Minimum 1 port @ 10/100/1000Base-T		
		used for Uplink		
	PoE standard	IEEE 802.3af, IEEE 802.3at		
	Power supply	Included rectifier, 12/48V		
	Features	Spanning tree (802.1D, 802.1W)		
		VLANS		
	Operating temperature	-10 °C to +40 °C		
	Warranty	Minimum 24 months		
4.	UNINTERRUPTIBLE POWER SUPPLY			
	Power supply	Minimum 600W / 1000VA		
	Battery capacity	Minimum 12V 7Ah		
	Input voltage	190-250V		
	Surge protection	Yes		
	Restore power after	Yes		
	shutdown			
	Operating temperature	-10 °C to +40 °C		
	Warranty	Minimum 24 months		
5.	METAL MOUNTING CASE / R	ACK		
	Dimensions	Maximum 600mm x 450mm x 500mm		
	Mounting rails	19" / 9U		
	Maximum accepted weight	80kg		
	Ingress Protection	IP66		
	Туре	Pole mounting rack with metal door		
		and security lock, enhanced protection		
		for doors and access cables		